

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

N S F 61*

* wrought copper products

C Press Fittings

Canada

Price List #10

Effective October 15, 2026

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com

B PRESS

B Press		BP		
CELLO #	SIZE	BOX/MC	LIST	
BPPXX7-08	1/2 Press x Pex (F1960) 90 ELBOW NL	10 200	11.53	
BPPXX7-08-12	1/2 Press x 3/4 Pex (F1960) 90 ELBOW NL	10 100	17.53	
BPPXX7-12	3/4 Press x Pex (F1960) 90 ELBOW NL	10 100	19.97	
BPPXX7-12-08	3/4 Press x 1/2 Pex (F1960) 90 ELBOW NL	10 180	20.05	
BPPXX7-16	1 Press x Pex (F1960) 90 ELBOW NL	5 60	37.62	

Straight Coupling With Stop

Press x Press		B Press		BP0-	
CELLO #	SIZE	BOX/MC		LIST	
BP0-08	1/2	10	300	6.34	
BP0-SLIP-08	1/2	10	100	12.11	
BP0-12	3/4	10	160	9.65	
BP0-SLIP-12	3/4	10	100	18.66	
BP0-16	1	10	120	19.50	
BP0-SLIP-16	1	10	100	29.88	
BP0-20	1 1/4	4	64	24.23	
BP0-SLIP-20	1 1/4	5	50	40.59	
BP0-24	1 1/2	2	40	45.16	
BP0-SLIP-24	1 1/2	5	50	60.02	
BP0-32	2	2	20	57.65	
BP0-SLIP-32	2	5	30	78.67	
BP0-40	2 1/2	1	32	184.57	
BP0-48	3	1	18	237.04	
BP0-64	4	1	12	326.33	
BP0-12-08	3/4 X 1/2	10	240	29.01	
BP0-16-08	1 X 1/2	10	120	30.76	
BP0-16-12	1 X 3/4	10	120	33.19	
BP0-20-08	1 1/4 X 1/2	4	72	46.46	
BP0-20-12	1 1/4 X 3/4	4	72	46.72	
BP0-20-16	1 1/4 X 1	4	72	48.23	
BP0-24-08	1 1/2 X 1/2	4	40	66.85	
BP0-24-12	1 1/2 X 3/4	4	40	66.85	
BP0-24-16	1 1/2 X 1	4	40	68.65	
BP0-24-20	1 1/2 X 1 1/4	4	40	71.13	
BP0-32-08	2 X 1/2	1	45	211.79	
BP0-32-12	2 X 3/4	2	32	85.50	
BP0-32-16	2 X 1	2	32	86.94	
BP0-32-20	2 X 1 1/4	2	32	92.50	
BP0-32-24	2 X 1 1/2	1	32	79.98	
BP0-40-16	2 1/2 X 1	1	10	330.46	
BP0-40-20	2 1/2 X 1 1/4	1	10	336.65	
BP0-40-24	2 1/2 X 1 1/2	1	10	340.65	
BP0-40-32	2 1/2 X 2	1	30	346.55	
BP0-48-24	3 X 1 1/2	1	24	388.12	
BP0-48-32	3 X 2	1	24	391.33	
BP0-48-40	3 X 2 1/2	1	24	456.43	
BP0-64-32	4 X 2	1	10	482.17	
BP0-64-40	4 X 2 1/2	1	10	535.57	
BP0-64-48	4 X 3	1	10	586.28	

Fitting Reducer

Press x Fitting		B Press		BP02-	
CELLO #	SIZE	BOX/MC		LIST	
BP02-12-08	3/4 X 1/2	10	240	7.06	
BP02-16-08	1 X 1/2	10	160	18.14	
BP02-16-12	1 X 3/4	10	160	18.85	
BP02-20-08	1 1/4 X 1/2	5	90	21.11	
BP02-20-12	1 1/4 X 3/4	4	104	22.41	
BP02-20-16	1 1/4 X 1	4	104	25.17	
BP02-24-08	1 1/2 X 1/2	4	56	63.37	
BP02-24-12	1 1/2 X 3/4	4	56	37.46	
BP02-24-16	1 1/2 X 1	4	56	36.94	
BP02-24-20	1 1/2 X 1 1/4	4	56	37.17	
BP02-32-08	2 X 1/2	2	48	80.72	
BP02-32-12	2 X 3/4	2	44	81.51	
BP02-32-16	2 X 1	2	40	41.89	
BP02-32-20	2 X 1 1/4	2	40	52.54	
BP02-32-24	2 X 1 1/2	2	32	49.88	
BP02-40-16	2 1/2 X 1	1	38	173.45	
BP02-40-20	2 1/2 X 1 1/4	1	38	233.82	
BP02-40-24	2 1/2 X 1 1/2	1	35	233.82	

BP02-40-32	2 1/2 X 2	1 35	237.20	
BP02-48-20	3 X 1 1/4	1 25	288.50	
BP02-48-24	3 X 1 1/2	1 20	292.94	
BP02-48-32	3 X 2	1 20	292.94	
BP02-48-40	3 X 2 1/2	1 16	295.07	
BP02-64-32	4 X 2	1 10	336.44	
BP02-64-40	4 X 2 1/2	1 10	366.31	
BP02-64-48	4 X 3	1 10	381.56	

No Stop Coupling

Press x Press		B Press		BP0-NSTOP-	
CELLO #	SIZE	BOX/MC		LIST	
BP0-NSTOP-08	1/2	10	300	15.72	
BP0-NSTOP-12	3/4	10	160	20.94	
BP0-NSTOP-16	1	10	120	25.66	
BP0-NSTOP-20	1 1/4	4	64	39.04	
BP0-NSTOP-24	1 1/2	2	40	60.21	
BP0-NSTOP-32	2	2	20	70.13	
BP0-NSTOP-40	2 1/2	1	32	184.57	
BP0-NSTOP-48	3	1	18	244.26	
BP0-NSTOP-64	4	1	12	331.76	

Tee with Female Thread Branch (FPT)

Press x Press x Female Thread (FPT)		B Press		BP12-
CELLO #	SIZE	BOX/MC		LIST
BP12-08	1/2	8	64	36.64
BP12-12	3/4	7	56	62.23
BP12-12-12-08	3/4 X 3/4 X 1/2	7	56	49.70
BP12-16-16-08	1 X 1 X 1/2	5	70	63.62
BP12-16-16-12	1 X 1 X 3/4	5	40	73.87
BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1	50	91.11
BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1	50	94.47
BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1	32	107.98
BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1	20	156.89
BP12-32-32-08	2 X 2 X 1/2	1	12	131.47
BP12-32-32-12	2 X 2 X 3/4	1	12	145.07

Cap

Press		B Press		BP17-	
CELLO #	SIZE	BOX/MC		LIST	
BP17-08	1/2	10	600	13.65	
BP17-12	3/4	10	300	23.05	
BP17-16	1	10	240	35.53	
BP17-20	1 1/4	10	120	40.22	
BP17-24	1 1/2	5	60	62.36	
BP17-32	2	5	40	75.74	
BP17-40	2 1/2	1	40	253.84	
BP17-48	3	1	36	306.65	
BP17-64	4	1	24	385.37	

Female Adapter

Press x Female Pipe Thread (FPT)		B Press		BP3-
CELLO #	SIZE	BOX/MC		LIST
BP3-08	1/2	25	200	9.43
BP3-12	3/4	15	120	15.30
BP3-16	1	12	96	28.24
BP3-20	1 1/4	8	64	63.76
BP3-24	1 1/2	6	48	92.72
BP3-32	2	3	24	157.38
BP3-40	2 1/2	1	36	405.00
BP3-48	3	1	24	663.32
BP3-2-08	1/8 X 1/2	25	250	29.39
BP3-08-12	1/2 X 3/4	15	120	19.30
BP3-12-08	3/4 X 1/2	25	200	14.10
BP3-2-12	1/8 X 3/4	25	250	43.65
BP3-16-08	1 X 1/2	10	200	53.78
BP3-16-12	1 X 3/4	15	120	49.88
BP3-2-16	1/8 X 1	20	200	67.34
BP3-16-20	1 X 1 1/4	8	64	57.29
BP3-20-16	1 1/4 X 1	8	64	53.40
BP3-2-20	1/8 X 1 1/4	10	100	121.66
BP3-20-24	1 1/4 X 1 1/2	6	48	93.34
BP3-2-24	1/8 X 1 1/2	5	50	134.90
BP3-24-20	1 1/2 X 1 1/4	6	48	90.81

BP3-2-32	1/8 X 2	5	50	228.72
BP3-2-08-12	1/8 X 1/2 X 3/4	5	100	31.37
BP3-2-12-08	1/8 X 3/4 X 1/2	25	250	38.49
BP3-2-16-12	1/8 X 1 X 3/4	10	100	65.07

Press x Press Union

B Press BP33-

CELLO #	SIZE	BOX/MC	LIST
BP33-08	1/2	12 96	49.88
BP33-12	3/4	10 80	65.41
BP33-16	1	5 40	104.49
BP33-20	1 1/4	4 32	149.19
BP33-24	1 1/2	3 24	202.62
BP33-32	2	3 15	329.86

Female Union

Press x Female Thread (FPT) B Press BP33-3-

CELLO #	SIZE	BOX/MC	LIST
BP33-3-08	1/2	12 96	39.99
BP33-3-12	3/4	10 80	51.31
BP33-3-16	1	5 40	85.18
BP33-3-20	1 1/4	4 32	107.79
BP33-3-24	1 1/2	3 24	169.43
BP33-3-32	2	3 15	223.61

Male Union

Press x Male Thread (MPT) B Press BP33-4-

CELLO #	SIZE	BOX/MC	LIST
BP33-4-08	1/2	12 96	43.53
BP33-4-12	3/4	10 80	60.24
BP33-4-16	1	5 40	86.61
BP33-4-20	1 1/4	4 32	130.36
BP33-4-24	1 1/2	3 24	181.90
BP33-4-32	2	3 15	236.87

Crossover Coupling

Press x Press B Press BP36-

CELLO #	SIZE	BOX/MC	LIST
BP36-08	1/2	10 100	60.46
BP36-12	3/4	10 50	90.68

Lead-Free Female Adapter

B Press BP3NL-

CELLO #	SIZE	BOX/MC	LIST
BP3NL-08	1/2	10 200	9.43
BP3NL-12	3/4	10 200	15.30
BP3NL-16	1	10 150	28.15
BP3NL-20	1 1/4	5 50	63.76
BP3NL-24	1 1/2	5 50	92.72
BP3NL-32	2	1 25	157.38

Male Adapter

Press x Male Pipe Thread (MPT) B Press BP4-

CELLO #	SIZE	BOX/MC	LIST
BP4-08	1/2	25 200	9.37
BP4-12	3/4	15 120	14.10
BP4-16	1	15 120	25.88
BP4-20	1 1/4	8 64	56.69
BP4-24	1 1/2	4 32	79.53
BP4-32	2	3 24	153.16
BP4-40	2 1/2	1 28	379.09
BP4-48	3	1 18	476.91
BP4-64	4	1 12	648.40
BP4-2-08	1/8 X 1/2	5 250	27.18
BP4-08-12	1/2 X 3/4	18 144	15.30
BP4-12-08	3/4 X 1/2	15 120	16.00
BP4-2-12	1/8 X 3/4	5 160	46.13
BP4-12-16	3/4 X 1	15 120	39.38
BP4-16-12	1 X 3/4	15 120	41.17
BP4-2-16	1/8 X 1	5 100	67.61
BP4-16-20	1 X 1 1/4	9 72	51.31
BP4-20-16	1 1/4 X 1	8 64	59.07

BP4-2-20	1/8 X 1 1/4	5	50	92.65
BP4-20-24	1 1/4 X 1 1/2	4	32	63.05
BP4-2-24	1/8 X 1 1/2	5	50	136.71
BP4-24-20	1 1/2 X 1 1/4	5	40	79.29
BP4-2-32	1/8 X 2	5	25	204.80
BP4-24-32	1 1/2 X 2	3	24	186.14
BP4-32-24	2 X 1 1/2	3	24	364.40
BP4-2-08-12	1/8 X 1/2 X 3/4	5	20	31.67
BP4-2-12-08	1/8 X 3/4 X 1/2	5	180	44.06
BP4-2-16-12	1/8 X 1 X 3/4	5	200	65.13

150# FLANGES

Press x Flange B Press BP41-

CELLO #	SIZE	BOX/MC	LIST
BP41-24	1 1/2	1 10	561.54
BP41-32	2	1 10	542.15
BP41-40	2 1/2	1 5	604.93
BP41-48	3	1 6	733.16
BP41-64	4	1 6	820.20

Lead-Free Male Adapter

B Press BP4NL-

CELLO #	SIZE	BOX/MC	LIST
BP4NL-08	1/2	10 200	9.37
BP4NL-12	3/4	10 200	15.30
BP4NL-16	1	10 100	28.24
BP4NL-20	1 1/4	5 50	63.79
BP4NL-24	1 1/2	5 50	92.72
BP4NL-32	2	1 25	157.38

45° Elbow

Press x Press B Press BP6-

CELLO #	SIZE	BOX/MC	LIST
BP6-08	1/2	10 240	8.23
BP6-12	3/4	10 120	11.11
BP6-16	1	5 60	32.48
BP6-20	1 1/4	4 40	46.59
BP6-24	1 1/2	2 24	75.53
BP6-32	2	2 12	105.64
BP6-40	2 1/2	1 16	248.56
BP6-48	3	1 12	349.67
BP6-64	4	1 6	467.83

45° Street Elbow

Press x Fitting B Press BP6-2-

CELLO #	SIZE	BOX/MC	LIST
BP6-2-08	1/2	10 240	6.34
BP6-2-12	3/4	10 120	9.43
BP6-2-16	1	10 60	31.86
BP6-2-20	1 1/4	4 40	44.93
BP6-2-24	1 1/2	2 20	68.70
BP6-2-32	2	2 12	101.86
BP6-2-40	2 1/2	1 16	282.60
BP6-2-48	3	1 12	408.81
BP6-2-64	4	1 6	551.30

90° Bend

Press x Press B Press BP7-

CELLO #	SIZE	BOX/MC	LIST
BP7-08	1/2	10 240	7.77
BP7-12	3/4	10 100	12.67
BP7-16	1	5 60	25.91
BP7-20	1 1/4	2 36	48.18
BP7-24	1 1/2	2 20	91.51
BP7-32	2	2 12	127.21
BP7-40	2 1/2	1 12	370.36
BP7-48	3	1 9	465.96
BP7-64	4	1 4	581.12
BP7-12-08	3/4 X 1/2	15 240	15.94
BP7-16-12	1 X 3/4	10 70	34.48

90° Street Elbow

Press x Press B Press BP7-2-

CELLO #	SIZE	BOX/MC		LIST
BP7-2-08	1/2	10	240	7.06
BP7-2-12	3/4	10	100	11.99
BP7-2-16	1	5	60	27.54
BP7-2-20	1 1/4	2	36	48.94
BP7-2-24	1 1/2	2	20	93.45
BP7-2-32	2	2	12	128.46
BP7-2-40	2 1/2	1	14	385.28
BP7-2-48	3	1	9	471.56
BP7-2-64	4	1	4	620.49

90° Elbow with FPT Thread

Press x Female Thread (FPT) B Press BP73-

CELLO #	SIZE	BOX/MC		LIST
BP73-08	1/2	20	160	21.87
BP73-12	3/4	10	80	34.83
BP73-16	1	7	56	61.39
BP73-20	1 1/4	4	32	104.23
BP73-24	1 1/2	2	16	133.62
BP73-32	2	2	16	212.21

90° Elbow Drop Ear FIP Thread

Press x Female Thread (FPT) B Press BP735-

CELLO #	SIZE	BOX/MC		LIST
BP735-08	1/2	10	80	32.48
BP735-12	3/4	8	64	63.98

90° Bend with MPT Thread

Press x Male Thread (MPT) B Press BP74-

CELLO #	SIZE	BOX/MC		LIST
BP74-08	1/2	10	80	34.59
BP74-12	3/4	12	96	55.28
BP74-16	1	9	72	83.26
BP74-20	1 1/4	4	32	113.39
BP74-24	1 1/2	2	16	155.02
BP74-32	2	2	16	219.04

Press by Pex Adapter

Press x Pex B Press BPPX0-

CELLO #	SIZE	BOX/MC		LIST
BPPX0-08	1/2	40	320	8.99
BPPX0-12	3/4	15	120	12.01
BPPX0-16	1	12	96	16.55
BPPX0-08-12	1/2 X 3/4	15	120	8.86
BPPX0-12-08	3/4 X 1/2	15	120	10.93
BPPX0-12-16	3/4 X 1	12	96	15.83

NL Press x Pex (crimp) 90 ELBOW

B Press BPPX7-

CELLO #	SIZE	BOX/MC		LIST
BPPX7-08	1/2	10	200	10.21
BPPX7-12	3/4	10	100	19.97
BPPX7-16	1	5	60	37.62
BPPX7-08-12	1/2 X 3/4	10	100	17.53
BPPX7-12-08	3/4 X 1/2	10	100	20.05

Press to Pex Tee

Press x Press x Pex B Press BPPXT-

CELLO #	SIZE	BOX/MC		LIST
BPPXT-12-12-08	3/4 X 3/4 X 1/2	10	80	29.70
BPPXT-16-16-08	1 X 1 X 1/2	7	56	40.74
BPPXT-16-16-12	1 X 1 X 3/4	7	56	43.77

Press by Pex (F1960) Adapter

Press x Pex (F1960) B Press BPPXX0-

CELLO #	SIZE	BOX/MC		LIST
BPPXX0-08	1/2	40	320	9.45
BPPXX0-12	3/4	15	120	13.98
BPPXX0-16	1	12	96	22.60
BPPXX0-08-12	1/2 X 3/4	15	120	12.01

BPPXX0-12-08	3/4 X 1/2	15	120	13.80
BPPXX0-12-16	3/4 X 1	12	96	22.22

Tees

Press x Press x Press B Press BPT-

CELLO #	SIZE	BOX/MC		LIST
BPT-08	1/2	10	120	13.49
BPT-12	3/4	10	60	23.70
BPT-16	1	4	40	34.36
BPT-20	1 1/4	2	24	58.11
BPT-24	1 1/2	2	16	112.91
BPT-32	2	1	8	139.52
BPT-40	2 1/2	1	10	457.78
BPT-48	3	1	6	572.16
BPT-64	4	1	4	825.80
BPT-08-08-12	1/2 X 1/2 X 3/4	10	80	36.21
BPT-12-08-08	3/4 X 1/2 X 1/2	10	70	29.39
BPT-12-08-12	3/4 X 1/2 X 3/4	10	30	30.56
BPT-12-12-08	3/4 X 3/4 X 1/2	10	80	16.00
BPT-08-08-16	1/2 X 1/2 X 1	10	60	51.36
BPT-12-12-16	3/4 X 3/4 X 1	5	80	54.04
BPT-16-08-12	1 X 1/2 X 3/4	10	60	81.33
BPT-16-08-16	1 X 1/2 X 1	10	40	55.35
BPT-16-12-08	1 X 3/4 X 1/2	10	60	58.45
BPT-16-12-12	1 X 3/4 X 3/4	10	60	52.23
BPT-16-12-16	1 X 3/4 X 1	10	40	59.13
BPT-16-16-08	1 X 1 X 1/2	10	60	39.29
BPT-16-16-12	1 X 1 X 3/4	10	40	39.04
BPT-16-16-20	1 X 1 X 1 1/4	4	28	102.66
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1	40	113.34
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1	50	95.50
BPT-20-12-12	1 1/4 X 3/4 X 3/4	4	28	95.50
BPT-20-12-16	1 1/4 X 3/4 X 1	4	28	100.07
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	4	24	87.10
BPT-20-16-08	1 1/4 X 1 X 1/2	1	45	68.02
BPT-20-16-12	1 1/4 X 1 X 3/4	4	24	62.98
BPT-20-16-16	1 1/4 X 1 X 1	4	24	68.02
BPT-20-16-20	1 1/4 X 1 X 1 1/4	4	24	68.02
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	4	24	52.01
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	4	40	53.23
BPT-20-20-16	1 1/4 X 1 1/4 X 1	4	32	55.28
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	2	16	143.26
BPT-24-16-12	1 1/2 X 1 X 3/4	2	18	143.21
BPT-24-16-16	1 1/2 X 1 X 1	2	18	159.85
BPT-24-16-24	1 1/2 X 1 X 1 1/2	2	16	166.12
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1	25	119.09
BPT-24-20-16	1 1/2 X 1 1/4 X 1	2	16	138.21
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	2	16	105.22
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	4	24	120.22
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	4	24	100.24
BPT-24-24-16	1 1/2 X 1 1/2 X 1	4	24	102.11
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	4	24	105.73
BPT-32-08-32	2 X 1/2 X 2	1	10	241.97
BPT-32-12-32	2 X 3/4 X 2	1	10	241.97
BPT-32-16-16	2 X 1 X 1	1	12	162.56
BPT-32-16-32	2 X 1 X 2	1	12	161.09
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1	12	225.35
BPT-32-24-12	2 X 1 1/2 X 3/4	1	12	200.79
BPT-32-24-16	2 X 1 1/2 X 1	1	12	192.68
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1	12	218.55
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1	12	221.59
BPT-32-24-32	2 X 1 1/2 X 2	1	12	187.15
BPT-32-32-08	2 X 2 X 1/2	1	12	193.23
BPT-32-32-12	2 X 2 X 3/4	1	12	163.37
BPT-32-32-16	2 X 2 X 1	1	12	168.69
BPT-32-32-20	2 X 2 X 1 1/4	1	12	168.81
BPT-32-32-24	2 X 2 X 1 1/2	1	12	126.81
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1	12	724.38
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1	12	747.90
BPT-40-24-32	2 1/2 X 1 1/2 X 2	1	12	692.04
BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1	12	661.93
BPT-40-32-12	2 1/2 X 2 X 3/4	1	12	695.97
BPT-40-32-16	2 1/2 X 2 X 1	1	12	655.29
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1	10	615.36
BPT-40-32-32	2 1/2 X 2 X 2	1	10	628.36
BPT-40-32-40	2 1/2 X 2 X 2 1/2	1	12	618.27

BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1	18	605.59
BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1	18	630.94
BPT-40-40-16	2 1/2 X 2 1/2 X 1	1	16	630.94
BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1	15	630.94
BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1	12	624.27
BPT-40-40-32	2 1/2 X 2 1/2 X 2	1	10	553.49
BPT-48-12-48	3 X 3/4 X 3	1	9	730.29
BPT-48-16-48	3 X 1 X 3	1	9	772.98
BPT-48-32-32	3 X 2 X 2	1	9	772.97
BPT-48-32-48	3 X 2 X 3	1		764.28
BPT-48-40-32	3 X 2 1/2 X 2	1	9	761.41
BPT-48-40-40	3 X 2 1/2 X 2 1/2	1		778.57
BPT-48-48-08	3 X 3 X 1/2	1	12	674.31
BPT-48-48-12	3 X 3 X 3/4	1	12	686.47
BPT-48-48-16	3 X 3 X 1	1	12	686.47
BPT-48-48-20	3 X 3 X 1 1/4	1	10	686.47
BPT-48-48-24	3 X 3 X 1 1/2	1	10	686.47
BPT-48-48-32	3 X 3 X 2	1	10	662.84
BPT-48-48-40	3 X 3 X 2 1/2	1	7	732.90
BPT-64-48-48	4 X 3 X 3	1	8	1,342.46
BPT-64-64-08	4 X 4 X 1/2	1	8	1,039.89
BPT-64-64-12	4 X 4 X 3/4	1	8	1,033.78
BPT-64-64-16	4 X 4 X 1	1	8	764.63
BPT-64-64-20	4 X 4 X 1 1/4	1	5	923.67
BPT-64-64-24	4 X 4 X 1 1/2	1	6	862.50
BPT-64-64-32	4 X 4 X 2	1	6	740.16
BPT-64-64-40	4 X 4 X 2 1/2	1	4	709.57
BPT-64-64-48	4 X 4 X 3	1	4	776.86

Press X FPT Unions

Dielectric Unions UNNL-BPF-

CELLO #	SIZE	BOX/MC		LIST
UNNL-BPF-08	1/2	10	80	34.37
UNNL-BPF-12	3/4	10	60	46.15
UNNL-BPF-16	1	5	40	60.03
UNNL-BPF-20	1 1/4	5	30	78.59
UNNL-BPF-24	1 1/2	2	16	115.91
UNNL-BPF-32	2	1	12	166.60

Press X MPT Dielectric Unions

Dielectric Unions UNNL-BPM-

CELLO #	SIZE	BOX/MC		LIST
UNNL-BPM-08	1/2	10	60	41.69
UNNL-BPM-12	3/4	10	40	58.88
UNNL-BPM-16	1	5	30	88.59

Press Valves

Press Valves BP-V

CELLO #	SIZE	BOX/MC		LIST
BPVASC-0806	1/2 PRESS X 3/8 OD COMP ANGL SPLY ST CHR	10	200	28.13
BPVSSC-0806	1/2 PRESS X 3/8 OD COMP STR SPLY STP CHR	10	240	28.13



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Pip. & Hog. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

***Available from
CELLO PRODUCTS***

- **Brass Fittings**
- **Brass Nipples**
- **Brass Flanges**
- **Solder fittings - cast & wrot**
- **Solder Flanges**
- **PEX fittings (Brass)**
- **Silver braze fittings**
- **Drainage Plugs**
- **Dielectric Unions**
- **Sand Cloth**
- **Gas Valves**

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*

Abbreviations

C -Copper
M -Male Thread
FE -Female Thread
FTG -Fitting End (Street)
L.T. -Long radius or turn
MJ -Mechanical Joint
DE -Drop Ear
D.W.V. -Drain-Waste-Vent
SJ -Slip Joint



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.