

# CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61\*

\* wrot copper products

C Press Fittings

CANADA  
Price List #9  
Effective March 2, 2026

PRICE LIST

CANADA

210 Avenue Road  
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150  
Fax: (519) 621-4108  
Customer Service: 1-800-265-7882  
e-mail:  
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:  
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>150# FLANGES</b>				BP7-40	2 1/2	1 12	348.14
<b>press x flange Press Fit BP41-</b>				BP7-48	3	1 9	438.00
BP41-24	1 1/2	1 10	527.85	BP7-64	4	1 4	546.25
BP41-32	2	1 10	509.62	BP7-12-08	3/4 X 1/2	15 240	14.98
BP41-40	2 1/2	1 5	568.63	BP7-16-12	1 X 3/4	10 70	32.41
BP41-48	3	1 6	689.17	<b>90° Bend with MPT Thread</b>			
BP41-64	4	1 6	770.99	<b>Press x Male Thread (MPT) Press Fit BP74-</b>			
<b>45° Elbow</b>				BP74-08	1/2	10 80	32.51
<b>Press x Press Press Fit BP6-</b>				BP74-12	3/4	12 96	51.96
BP6-08	1/2	10 240	7.74	BP74-16	1	9 72	78.26
BP6-12	3/4	10 120	10.44	BP74-20	1 1/4	4 32	106.59
BP6-16	1	5 60	30.53	BP74-24	1 1/2	2 16	145.72
BP6-20	1 1/4	4 40	43.79	BP74-32	2	2 16	205.90
BP6-24	1 1/2	2 24	71.00	<b>90° Elbow Drop Ear FIP Thread</b>			
BP6-32	2	2 12	99.30	<b>Press x Female Thread (FPT) Press Fit BP735-</b>			
BP6-40	2 1/2	1 16	233.65	BP735-08	1/2	10 80	30.53
BP6-48	3	1 12	328.69	BP735-12	3/4	8 64	60.14
BP6-64	4	1 6	439.76	<b>90° Elbow with FPT Thread</b>			
<b>45° Street Elbow</b>				<b>Press x Female Thread (FPT) Press Fit BP73-</b>			
<b>Press x Fitting Press Fit BP6-2-</b>				BP73-08	1/2	20 160	20.56
BP6-2-08	1/2	10 240	5.96	BP73-12	3/4	10 80	32.74
BP6-2-12	3/4	10 120	8.86	BP73-16	1	7 56	57.71
BP6-2-16	1	10 60	29.95	BP73-20	1 1/4	4 32	97.98
BP6-2-20	1 1/4	4 40	42.23	BP73-24	1 1/2	2 16	125.60
BP6-2-24	1 1/2	2 20	64.58	BP73-32	2	2 16	199.48
BP6-2-32	2	2 12	95.75	<b>90° Street Elbow</b>			
BP6-2-40	2 1/2	1 16	265.64	<b>Press x Press Press Fit BP7-2-</b>			
BP6-2-48	3	1 12	384.28	BP7-2-08	1/2	10 240	6.64
BP6-2-64	4	1 6	518.22	BP7-2-12	3/4	10 100	11.27
<b>90° Bend</b>				BP7-2-16	1	5 60	25.89
<b>Press x Press Press Fit BP7-</b>				BP7-2-20	1 1/4	2 36	46.00
BP7-08	1/2	10 240	7.30	BP7-2-24	1 1/2	2 20	87.84
BP7-12	3/4	10 100	11.91	BP7-2-32	2	2 12	120.75
BP7-16	1	5 60	24.36	BP7-2-40	2 1/2	1 14	362.16
BP7-20	1 1/4	2 36	45.29	BP7-2-48	3	1 9	443.27
BP7-24	1 1/2	2 20	86.02				
BP7-32	2	2 12	119.58				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>90° Street Elbow...Continued</b>							
<b>Press x Press</b>		<b>Press Fit</b>				<b>BP7-2-</b>	
BP7-2-64	4	1	4	583.26			
<b>Cap</b>							
<b>Press</b>		<b>Press Fit</b>				<b>BP17-</b>	
BP17-08	1/2	10	600	12.83			
BP17-12	3/4	10	300	21.67			
BP17-16	1	10	240	33.40			
BP17-20	1 1/4	10	120	37.81			
BP17-24	1 1/2	5	60	58.62			
BP17-32	2	5	40	71.20			
BP17-40	2 1/2	1	40	238.61			
BP17-48	3	1	36	288.25			
BP17-64	4	1	24	362.25			
<b>Crossover Coupling</b>							
<b>Press x Press</b>		<b>Press Fit</b>				<b>BP36-</b>	
BP36-08	1/2	10	100	56.83			
BP36-12	3/4	10	50	85.24			
<b>Female Adapter</b>							
<b>Press x Female Pipe Thread (FPT)</b>		<b>Press Fit</b>				<b>BP3-</b>	
BP3-08	1/2	25	200	8.86			
BP3-12	3/4	15	120	14.38			
BP3-16	1	12	96	26.55			
BP3-20	1 1/4	8	64	59.93			
BP3-24	1 1/2	6	48	87.16			
BP3-32	2	3	24	147.94			
BP3-40	2 1/2	1	36	380.70			
BP3-48	3	1	24	623.52			
BP3-08-12	1/2 X 3/4	15	120	18.14			
BP3-12-08	3/4 X 1/2	25	200	13.25			
BP3-16-08	1 X 1/2	10	200	50.55			
BP3-16-12	1 X 3/4	15	120	46.89			
BP3-16-20	1 X 1 1/4	8	64	53.85			
BP3-20-16	1 1/4 X 1	8	64	50.20			
BP3-20-24	1 1/4 X 1 1/2	6	48	87.74			
BP3-2-08	1/8 X 1/2	25	250	27.63			
BP3-2-12	1/8 X 3/4	25	250	41.03			
BP3-2-16	1/8 X 1	20	200	63.30			
BP3-2-20	1/8 X 1 1/4	10	100	114.36			
BP3-2-24	1/8 X 1 1/2	5	100	126.81			
BP3-2-32	1/8 X 2	5	50	215.00			
BP3-24-20	1 1/2 X 1 1/4	6	48	85.36			
BP3-2-08-12	1/8 X 1/2 X 3/4	5	100	29.49			
BP3-2-12-08	1/8 X 3/4 X 1/2	25	250	36.18			
BP3-2-16-12	1/8 X 1 X 3/4	10	100	61.17			
<b>Female Union</b>							
<b>Press x Female Thread (FPT)</b>		<b>Press Fit</b>				<b>BP33-3-</b>	
BP33-3-08	1/2	12	96	37.59			
BP33-3-12	3/4	10	80	48.23			
BP33-3-16	1	5	40	80.07			
BP33-3-20	1 1/4	4	32	101.32			
BP33-3-24	1 1/2	3	24	159.26			
BP33-3-32	2	3	15	210.19			
<b>Fitting Reducer</b>							
<b>Press x Fitting</b>		<b>Press Fit</b>				<b>BP02-</b>	
BP02-12-08	3/4 X 1/2	10	240	6.64			
BP02-16-08	1 X 1/2	10	160	17.05			
BP02-16-12	1 X 3/4	10	160	17.72			
BP02-20-08	1 1/4 X 1/2	5	90	19.84			
BP02-20-12	1 1/4 X 3/4	4	104	21.07			
BP02-20-16	1 1/4 X 1	4	104	23.66			
BP02-24-08	1 1/2 X 1/2	4	56	59.57			
BP02-24-12	1 1/2 X 3/4	4	56	35.21			
BP02-24-16	1 1/2 X 1	4	56	34.72			
BP02-24-20	1 1/2 X 1 1/4	4	56	34.94			
BP02-32-08	2 X 1/2	2	48	75.88			
BP02-32-12	2 X 3/4	2	44	76.62			
BP02-32-16	2 X 1	2	40	39.38			
BP02-32-20	2 X 1 1/4	2	40	49.39			
BP02-32-24	2 X 1 1/2	2	32	46.89			
BP02-40-16	2 1/2 X 1	1	38	163.04			
BP02-40-20	2 1/2 X 1 1/4	1	38	219.79			
BP02-40-24	2 1/2 X 1 1/2	1	35	219.79			
BP02-40-32	2 1/2 X 2	1	35	222.97			
BP02-48-20	3 X 1 1/4	1	25	271.19			
BP02-48-24	3 X 1 1/2	1	20	275.36			
BP02-48-32	3 X 2	1	20	275.36			
BP02-48-40	3 X 2 1/2	1	16	277.37			



CELLO #	SIZE	BOX/MC	LIST
<b>Fitting Reducer...Continued</b>			
<b>Press x Fitting</b>		<b>Press Fit</b>	<b>BP02-</b>
BP02-64-32	4 X 2	1 10	316.25
BP02-64-40	4 X 2 1/2	1 10	344.33
BP02-64-48	4 X 3	1 10	358.67
<b>Male Adapter</b>			
<b>Press x Male Pipe Thread (MPT)</b>		<b>Press Fit</b>	<b>BP4-</b>
BP4-08	1/2	25 200	8.81
BP4-12	3/4	15 120	13.25
BP4-16	1	15 120	24.33
BP4-20	1 1/4	8 64	53.29
BP4-24	1 1/2	4 32	74.76
BP4-32	2	3 24	143.97
BP4-40	2 1/2	1 28	356.34
BP4-48	3	1 18	448.30
BP4-64	4	1 12	609.50
BP4-08-12	1/2 X 3/4	18 144	14.38
BP4-12-08	3/4 X 1/2	15 120	15.04
BP4-12-16	3/4 X 1	15 120	37.02
BP4-16-12	1 X 3/4	15 120	38.70
BP4-16-20	1 X 1 1/4	9 72	48.23
BP4-20-16	1 1/4 X 1	8 64	55.53
BP4-20-24	1 1/4 X 1 1/2	4 32	59.27
BP4-2-08	1/8 X 1/2	5 250	25.55
BP4-2-12	1/8 X 3/4	5 160	43.36
BP4-2-16	1/8 X 1	5 200	63.55
BP4-2-20	1/8 X 1 1/4	5 50	87.09
BP4-2-24	1/8 X 1 1/2	5 50	128.51
BP4-2-32	1/8 X 2	5 25	192.51
BP4-24-20	1 1/2 X 1 1/4	5 40	74.53
BP4-24-32	1 1/2 X 2	3 24	174.97
BP4-32-24	2 X 1 1/2	3 24	342.54
BP4-2-08-12	1/8 X 1/2 X 3/4	5 20	29.77
BP4-2-12-08	1/8 X 3/4 X 1/2	5 180	41.42
BP4-2-16-12	1/8 X 1 X 3/4	5 200	61.22
<b>Male Union</b>			
<b>Press x Male Thread (MPT)</b>		<b>Press Fit</b>	<b>BP33-4-</b>
BP33-4-08	1/2	12 96	40.92
BP33-4-12	3/4	10 80	56.63

CELLO #	SIZE	BOX/MC	LIST
BP33-4-16	1	5 40	81.41
BP33-4-20	1 1/4	4 32	122.54
BP33-4-24	1 1/2	3 24	170.99
BP33-4-32	2	3 15	222.66
<b>No Stop Coupling</b>			
<b>Press x Press</b>		<b>Press Fit</b>	<b>BP0-NSTOP-</b>
BP0-NSTOP-08	1/2	10 300	14.78
BP0-NSTOP-12	3/4	10 160	19.68
BP0-NSTOP-16	1	10 120	24.12
BP0-NSTOP-20	1 1/4	4 64	36.70
BP0-NSTOP-24	1 1/2	2 40	56.60
BP0-NSTOP-32	2	2 20	65.92
BP0-NSTOP-40	2 1/2	1 32	173.50
BP0-NSTOP-48	3	1 18	229.60
BP0-NSTOP-64	4	1 12	311.85
<b>Press by Pex (F1960) Adapter</b>			
<b>Press x Pex (F1960)</b>		<b>Press Fit</b>	<b>BPPXX0-</b>
BPPXX0-08	1/2	40 320	8.88
BPPXX0-12	3/4	15 120	13.14
BPPXX0-16	1	12 96	21.24
BPPXX0-08-12	1/2 X 3/4	15 120	11.29
BPPXX0-12-08	3/4 X 1/2	15 120	12.97
BPPXX0-12-16	3/4 X 1	12 96	20.89
<b>Press by Pex Adapter</b>			
<b>Press x Pex</b>		<b>Press Fit</b>	<b>BPPX0-</b>
BPPX0-08	1/2	40 320	8.45
BPPX0-12	3/4	15 120	11.29
BPPX0-16	1	12 96	15.56
BPPX0-08-12	1/2 X 3/4	15 120	8.33
BPPX0-12-08	3/4 X 1/2	15 120	10.27
BPPX0-12-16	3/4 X 1	12 96	14.88
<b>Press to Pex Tee</b>			
<b>Press x Press x Pex</b>		<b>Press Fit</b>	<b>BPPXT-</b>
BPPXT-12-12-08	3/4 X 3/4 X 1/2	10 80	27.92
BPPXT-16-16-08	1 X 1 X 1/2	7 56	38.30



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>Press to Pex Tee...Continued</b>				BP0-40-24	2 1/2 X 1 1/2	1 10	320.21
<b>Press x Press x Pex Press Fit BPPXT-</b>				BP0-40-32	2 1/2 X 2	1 30	325.76
BPPXT-16-16-12	1 X 1 X 3/4	7 56	41.14	BP0-48-24	3 X 1 1/2	1 24	364.83
<b>Press x Press Union Press Fit BP33-</b>				BP0-48-32	3 X 2	1 24	367.85
BP33-08	1/2	12 96	46.89	BP0-48-40	3 X 2 1/2	1 24	429.04
BP33-12	3/4	10 80	61.49	BP0-64-32	4 X 2	1 10	453.24
BP33-16	1	5 40	98.22	BP0-64-40	4 X 2 1/2	1 10	503.44
BP33-20	1 1/4	4 32	140.24	BP0-64-48	4 X 3	1 10	551.10
BP33-24	1 1/2	3 24	190.46	BP0-SLIP-08	1/2	10 100	11.38
BP33-32	2	3 15	310.07	BP0-SLIP-12	3/4	10 100	17.54
<b>Straight Coupling With Stop Press x Press Press Fit BP0-</b>				BP0-SLIP-16	1	10 100	28.09
BP0-08	1/2	10 300	5.96	BP0-SLIP-20	1 1/4	5 50	38.15
BP0-12	3/4	10 160	9.07	BP0-SLIP-24	1 1/2	5 50	56.42
BP0-16	1	10 120	18.33	BP0-SLIP-32	2	5 30	73.95
BP0-20	1 1/4	4 64	22.78	<b>Tee with Female Thread Branch (FPT)</b>			
BP0-24	1 1/2	2 40	42.45	<b>Press x Press x Female Thread (FPT) Press Fit BP12-</b>			
BP0-32	2	2 20	54.19	BP12-08	1/2	8 64	34.44
BP0-40	2 1/2	1 32	173.50	BP12-12	3/4	7 56	58.50
BP0-48	3	1 18	222.82	BP12-12-12-08	3/4 X 3/4 X 1/2	7 56	46.72
BP0-64	4	1 12	306.75	BP12-16-16-08	1 X 1 X 1/2	5 70	59.80
BP0-12-08	3/4 X 1/2	10 240	27.27	BP12-16-16-12	1 X 1 X 3/4	5 40	69.44
BP0-16-08	1 X 1/2	10 120	28.91	BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1 50	85.64
BP0-16-12	1 X 3/4	10 120	31.20	BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1 50	88.80
BP0-20-08	1 1/4 X 1/2	4 72	43.67	BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1 32	101.50
BP0-20-12	1 1/4 X 3/4	4 72	43.92	BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1 20	147.48
BP0-20-16	1 1/4 X 1	4 72	45.34	BP12-32-32-08	2 X 2 X 1/2	1 12	123.58
BP0-24-08	1 1/2 X 1/2	4 40	62.84	BP12-32-32-12	2 X 2 X 3/4	1 12	136.37
BP0-24-12	1 1/2 X 3/4	4 40	62.84	<b>Tees</b>			
BP0-24-16	1 1/2 X 1	4 40	64.53	<b>Press x Press x Press Press Fit BPT-</b>			
BP0-24-20	1 1/2 X 1 1/4	4 40	66.86	BPT-08	1/2	10 120	12.68
BP0-32-08	2 X 1/2	1 45	199.08	BPT-12	3/4	10 60	22.28
BP0-32-12	2 X 3/4	2 32	80.37	BPT-16	1	4 40	32.30
BP0-32-16	2 X 1	2 32	81.72	BPT-20	1 1/4	2 24	54.62
BP0-32-20	2 X 1 1/4	2 32	86.95	BPT-24	1 1/2	2 16	106.14
BP0-32-24	2 X 1 1/2	1 32	75.18	BPT-32	2	1 8	131.15
BP0-40-16	2 1/2 X 1	1 10	310.63	BPT-40	2 1/2	1 10	430.31
BP0-40-20	2 1/2 X 1 1/4	1 10	316.45	BPT-48	3	1 6	537.83
				BPT-64	4	1 4	776.25
				BPT-08-08-12	1/2 X 1/2 X 3/4	10 80	34.04
				BPT-08-08-16	1/2 X 1/2 X 1	10 60	48.28
				BPT-12-08-08	3/4 X 1/2 X 1/2	10 70	27.63



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>Tees...Continued</b>				BPT-32-24-24	2 X 1 1/2 X 1 1/2	1 12	208.29
<b>Press x Press x Press</b>				BPT-32-24-32	2 X 1 1/2 X 2	1 12	175.92
<b>Press Fit</b>				BPT-32-32-08	2 X 2 X 1/2	1 12	181.64
<b>BPT-</b>				BPT-32-32-12	2 X 2 X 3/4	1 12	153.57
BPT-12-08-12	3/4 X 1/2 X 3/4	10 30	28.73	BPT-32-32-16	2 X 2 X 1	1 12	158.57
BPT-12-12-08	3/4 X 3/4 X 1/2	10 80	15.04	BPT-32-32-20	2 X 2 X 1 1/4	1 12	158.68
BPT-12-12-16	3/4 X 3/4 X 1	5 80	50.80	BPT-32-32-24	2 X 2 X 1 1/2	1 12	119.20
BPT-16-08-12	1 X 1/2 X 3/4	10 60	76.45	BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1 12	680.92
BPT-16-08-16	1 X 1/2 X 1	10 40	52.03	BPT-40-16-40	2 1/2 X 1 X 2 1/2	1 12	703.03
BPT-16-12-08	1 X 3/4 X 1/2	10 60	54.94	BPT-40-24-32	2 1/2 X 1 1/2 X 2	1 12	650.52
BPT-16-12-12	1 X 3/4 X 3/4	10 60	49.10	BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1 12	622.21
BPT-16-12-16	1 X 3/4 X 1	10 40	55.58	BPT-40-32-12	2 1/2 X 2 X 3/4	1 12	654.21
BPT-16-16-08	1 X 1 X 1/2	10 60	36.93	BPT-40-32-16	2 1/2 X 2 X 1	1 12	615.97
BPT-16-16-12	1 X 1 X 3/4	10 40	36.70	BPT-40-32-24	2 1/2 X 2 X 1 1/2	1 10	578.44
BPT-16-16-20	1 X 1 X 1 1/4	4 28	96.50	BPT-40-32-32	2 1/2 X 2 X 2	1 10	590.66
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1 40	106.54	BPT-40-32-40	2 1/2 X 2 X 2 1/2	1 0	581.17
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1 50	89.77	BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1 18	569.25
BPT-20-12-12	1 1/4 X 3/4 X 3/4	4 28	89.77	BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1 18	593.08
BPT-20-12-16	1 1/4 X 3/4 X 1	4 28	94.07	BPT-40-40-16	2 1/2 X 2 1/2 X 1	1 16	593.08
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	4 24	81.87	BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1 15	593.08
BPT-20-16-08	1 1/4 X 1 X 1/2	1 45	63.94	BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1 12	586.81
BPT-20-16-12	1 1/4 X 1 X 3/4	4 24	59.20	BPT-40-40-32	2 1/2 X 2 1/2 X 2	1 10	520.28
BPT-20-16-16	1 1/4 X 1 X 1	4 24	63.94	BPT-48-12-48	3 X 3/4 X 3	1 9	686.47
BPT-20-16-20	1 1/4 X 1 X 1 1/4	4 24	63.94	BPT-48-16-48	3 X 1 X 3	1 9	726.60
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	4 24	48.89	BPT-48-32-32	3 X 2 X 2	1 9	726.59
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	4 40	50.04	BPT-48-32-48	3 X 2 X 3	1 0	718.42
BPT-20-20-16	1 1/4 X 1 1/4 X 1	4 32	51.96	BPT-48-40-32	3 X 2 1/2 X 2	1 9	715.73
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	2 16	134.66	BPT-48-40-40	3 X 2 1/2 X 2 1/2	1 0	731.86
BPT-24-16-12	1 1/2 X 1 X 3/4	2 18	134.62	BPT-48-48-08	3 X 3 X 1/2	1 12	633.85
BPT-24-16-16	1 1/2 X 1 X 1	2 18	150.26	BPT-48-48-12	3 X 3 X 3/4	1 12	645.28
BPT-24-16-24	1 1/2 X 1 X 1 1/2	2 16	156.15	BPT-48-48-16	3 X 3 X 1	1 12	645.28
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1 25	111.94	BPT-48-48-20	3 X 3 X 1 1/4	1 10	645.28
BPT-24-20-16	1 1/2 X 1 1/4 X 1	2 16	129.92	BPT-48-48-24	3 X 3 X 1 1/2	1 10	645.28
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	2 16	98.91	BPT-48-48-32	3 X 3 X 2	1 10	623.07
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	4 24	113.01	BPT-48-48-40	3 X 3 X 2 1/2	1 7	688.93
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	4 24	94.23	BPT-64-48-48	4 X 3 X 3	1 8	1,261.91
BPT-24-24-16	1 1/2 X 1 1/2 X 1	4 24	95.98	BPT-64-64-08	4 X 4 X 1/2	1 8	977.50
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	4 24	99.39	BPT-64-64-12	4 X 4 X 3/4	1 8	971.75
BPT-32-08-32	2 X 1/2 X 2	1 10	227.45	BPT-64-64-16	4 X 4 X 1	1 8	718.75
BPT-32-12-32	2 X 3/4 X 2	1 10	227.45	BPT-64-64-20	4 X 4 X 1 1/4	1 5	868.25
BPT-32-16-16	2 X 1 X 1	1 12	152.81	BPT-64-64-24	4 X 4 X 1 1/2	1 6	810.75
BPT-32-16-32	2 X 1 X 2	1 0	151.42	BPT-64-64-32	4 X 4 X 2	1 6	695.75
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1 12	211.83	BPT-64-64-40	4 X 4 X 2 1/2	1 4	667.00
BPT-32-24-12	2 X 1 1/2 X 3/4	1 12	188.74	BPT-64-64-48	4 X 4 X 3	1 4	730.25
BPT-32-24-16	2 X 1 1/2 X 1	1 12	181.12				
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1 12	205.44				

Price List #9  
 Effective: March 2, 2026  
 Subject to Change without notice



**CELLO PRODUCTS INC**

CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>Tees...Continued</b>							
<b>Press x Press x Press</b>		<b>Press Fit</b>		<b>BPT-</b>			
BPT-64-64-48	4 X 4 X 3	1	4	730.25			



# CELLO PRODUCTS INC.

## NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

## Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

## *Available from CELLO PRODUCTS*

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call  
1-800-265-7882 for Customer Services.*



## CELLO PRODUCTS INC.

### SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

### BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

### WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.