

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrought copper products

C Press Fittings

USA

Price List #4

Effective October 5, 2018

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
150# FLANGES				BP7-32	2	1 18	66.51
press x flange Press Fit BP41-				BP7-40	2 1/2	1 12	193.13
BP41-20	1 1/4	1 0	213.47	BP7-48	3	1 9	242.97
BP41-24	1 1/2	1 0	235.65	BP7-64	4	1 4	300.60
BP41-32	2	1 0	264.74	BP7-12-08	3/4 X 1/2	15 240	8.56
BP41-40	2 1/2	1 0	295.39	BP7-16-12	1 X 3/4	10 120	19.40
BP41-48	3	1 0	358.01	90° Bend with MPT Thread			
BP41-64	4	1 6	400.52	Press x Male Thread (MPT) Press Fit BP74-			
45° Elbow				BP74-08	1/2	5 0	18.49
Press x Press Press Fit BP6-				BP74-12	3/4	5 0	29.56
BP6-08	1/2	10 400	4.32	BP74-16	1	1 65	44.55
BP6-12	3/4	10 200	5.31	BP74-20	1 1/4	1 0	60.60
BP6-16	1	5 140	16.96	BP74-24	1 1/2	1 0	82.90
BP6-20	1 1/4	1 70	24.31	BP74-32	2	1 0	117.05
BP6-24	1 1/2	1 40	39.39	90° Elbow Drop Ear FIP Thread			
BP6-32	2	1 25	55.12	Press x Female Thread (FPT) Press Fit BP735-			
BP6-40	2 1/2	1 16	127.59	BP735-08	1/2	5 100	18.13
BP6-48	3	1 12	182.26	BP735-12	3/4	5 60	35.68
BP6-64	4	1 6	253.12	90° Elbow with FPT Thread			
45° Street Elbow				Press x Female Thread (FPT) Press Fit BP73-			
Press x Fitting Press Fit BP6-2-				BP73-08	1/2	5 0	12.22
BP6-2-08	1/2	10 450	3.35	BP73-12	3/4	5 0	19.43
BP6-2-12	3/4	10 260	4.95	BP73-16	1	1 0	33.55
BP6-2-16	1	5 140	16.23	BP73-20	1 1/4	1 0	56.95
BP6-2-20	1 1/4	1 70	23.44	BP73-24	1 1/2	1 0	74.46
BP6-2-24	1 1/2	1 40	35.84	BP73-32	2	1 0	118.21
BP6-2-32	2	1 25	53.14	90° Street Elbow			
BP6-2-40	2 1/2	1 16	147.29	Press x Press Press Fit BP7-2-			
BP6-2-48	3	1 12	213.08	BP7-2-08	1/2	10 400	3.72
BP6-2-64	4	1 6	269.20	BP7-2-12	3/4	10 200	6.26
90° Bend				BP7-2-16	1	5 100	14.39
Press x Press Press Fit BP7-				BP7-2-20	1 1/4	1 55	25.55
BP7-08	1/2	10 350	3.72	BP7-2-24	1 1/2	1 35	48.74
BP7-12	3/4	10 180	6.26	BP7-2-32	2	1 20	66.99
BP7-16	1	5 100	12.55	BP7-2-40	2 1/2	1 14	200.82
BP7-20	1 1/4	1 55	25.29	BP7-2-48	3	1 9	233.53
BP7-24	1 1/2	1 35	47.85				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
90° Street Elbow...Continued							
Press x Press		Press Fit				BP7-2-	
BP7-2-64	4	1	4	297.40			
Cap							
Press		Press Fit				BP17-	
BP17-08	1/2	10	450	7.14			
BP17-12	3/4	10	450	12.00			
BP17-16	1	5	250	18.50			
BP17-20	1 1/4	1	100	21.00			
BP17-24	1 1/2	1	80	32.53			
BP17-32	2	1	55	39.53			
BP17-40	2 1/2	1	40	126.27			
BP17-48	3	1	36	159.83			
BP17-64	4	1	24	212.97			
Crossover Coupling							
Press x Press		Press Fit				BP36-	
BP36-08	1/2	10	0	23.20			
BP36-12	3/4	10	0	28.84			
Female Adapter							
Press x Female Pipe Thread (FPT)		Press Fit				BP3-	
BP3-08	1/2	10	300	5.26			
BP3-12	3/4	10	150	8.55			
BP3-16	1	10	180	15.76			
BP3-20	1 1/4	1	80	35.55			
BP3-24	1 1/2	1	55	51.67			
BP3-32	2	1	40	87.71			
BP3-40	2 1/2	1	36	206.33			
BP3-48	3	1	24	337.94			
BP3-08-12	1/2 X 3/4	10	180	10.85			
BP3-12-08	3/4 X 1/2	10	180	7.88			
BP3-16-08	1 X 1/2	10	200	27.40			
BP3-16-12	1 X 3/4	10	200	27.80			
BP3-16-20	1 X 1 1/4	10	180	29.19			
BP3-20-16	1 1/4 X 1	1	55	35.23			
BP3-20-24	1 1/4 X 1 1/2	1	55	47.56			
BP3-2-08	1/8 X 1/2	25	250	16.55			
BP3-2-12	1/8 X 3/4	25	250	24.41			
BP3-2-16	1/8 X 1	20	200	36.65			
BP3-2-20	1/8 X 1 1/4	10	100	63.87			
BP3-2-24	1/8 X 1 1/2	5	100	71.21			
BP3-2-32	1/8 X 2	5	50	120.65			
BP3-24-20	1 1/2 X 1 1/4	1	55	50.00			
BP3-2-08-12	1/8 X 1/2 X 3/4	5	100	18.82			
BP3-2-12-08	1/8 X 3/4 X 1/2	25	250	21.63			
BP3-2-16-12	1/8 X 1 X 3/4	10	100	34.47			
Female Union							
Press x Female Thread (FPT)		Press Fit				BP33-3-	
BP33-3-08	1/2	1	192	21.87			
BP33-3-12	3/4	1	90	28.60			
BP33-3-16	1	1	48	46.55			
BP33-3-20	1 1/4	1	28	58.86			
BP33-3-24	1 1/2	1	24	92.53			
BP33-3-32	2	1	16	122.58			
Fitting Reducer							
Press x Fitting		Press Fit				BP02-	
BP02-12-08	3/4 X 1/2	10	400	3.72			
BP02-16-08	1 X 1/2	10	300	9.50			
BP02-16-12	1 X 3/4	10	240	9.85			
BP02-20-08	1 1/4 X 1/2	5	180	11.50			
BP02-20-12	1 1/4 X 3/4	5	170	11.70			
BP02-20-16	1 1/4 X 1	5	150	13.14			
BP02-24-08	1 1/2 X 1/2	5	130	33.05			
BP02-24-12	1 1/2 X 3/4	1	70	19.50			
BP02-24-16	1 1/2 X 1	1	70	19.30			
BP02-24-20	1 1/2 X 1 1/4	1	70	19.40			
BP02-32-08	2 X 1/2	1	50	42.10			
BP02-32-12	2 X 3/4	1	50	42.50			
BP02-32-16	2 X 1	1	50	21.90			
BP02-32-20	2 X 1 1/4	1	50	26.77			
BP02-32-24	2 X 1 1/2	1	40	26.00			
BP02-40-16	2 1/2 X 1	1	38	93.75			
BP02-40-20	2 1/2 X 1 1/4	1	38	131.40			
BP02-40-24	2 1/2 X 1 1/2	1	35	132.25			
BP02-40-32	2 1/2 X 2	1	35	113.75			
BP02-48-20	3 X 1 1/4	1	25	152.25			
BP02-48-24	3 X 1 1/2	1	20	144.60			
BP02-48-32	3 X 2	1	20	140.50			
BP02-48-40	3 X 2 1/2	1	17	144.90			



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Fitting Reducer...Continued				BP33-4-16	1	1 32	48.25
Press x Fitting	Press Fit	BP02-		BP33-4-20	1 1/4	1 28	71.21
BP02-64-32	4 X 2	1 10	162.00	BP33-4-24	1 1/2	1 24	99.34
BP02-64-40	4 X 2 1/2	1 10	176.95	BP33-4-32	2	1 16	129.89
BP02-64-48	4 X 3	1 10	187.00	No Stop Coupling			
Male Adapter				Press x Press	Press Fit	BP0-NSTOP-	
Press x Male Pipe Thread (MPT)	Press Fit	BP4-		BP0-NSTOP-08	1/2	10 450	8.00
BP4-08	1/2	10 300	4.34	BP0-NSTOP-12	3/4	10 260	10.95
BP4-12	3/4	10 160	7.88	BP0-NSTOP-16	1	5 170	13.40
BP4-16	1	10 160	14.44	BP0-NSTOP-20	1 1/4	1 80	20.40
BP4-20	1 1/4	1 80	31.60	BP0-NSTOP-24	1 1/2	1 50	31.43
BP4-24	1 1/2	1 50	44.32	BP0-NSTOP-32	2	1 35	36.59
BP4-32	2	1 35	85.32	BP0-NSTOP-40	2 1/2	1 32	95.68
BP4-40	2 1/2	1 28	193.13	BP0-NSTOP-48	3	1 18	123.56
BP4-48	3	1 18	242.97	BP0-NSTOP-64	4	1 12	169.85
BP4-64	4	1 12	281.25	Press by Pex (F1960) Adapter			
BP4-08-12	1/2 X 3/4	10 180	8.55	Press x Pex (F1960)	Press Fit	BPPXX0-	
BP4-12-08	3/4 X 1/2	10 180	8.96	BPPXX0-08	1/2	10 200	7.50
BP4-12-16	3/4 X 1	10 200	20.06	BPPXX0-12	3/4	10 200	9.50
BP4-16-12	1 X 3/4	10 180	22.51	BPPXX0-16	1	5 150	12.65
BP4-16-20	1 X 1 1/4	10 100	28.03	Press by Pex Adapter			
BP4-20-16	1 1/4 X 1	1 95	32.28	Press x Pex	Press Fit	BPPX0-	
BP4-20-24	1 1/4 X 1 1/2	1 55	34.47	BPPX0-08	1/2	10 200	7.30
BP4-2-08	1/8 X 1/2	5 250	14.75	BPPX0-12	3/4	10 200	9.30
BP4-2-12	1/8 X 3/4	5 160	24.75	BPPX0-16	1	5 150	12.40
BP4-2-16	1/8 X 1	5 200	36.44	Press to Pex Tee			
BP4-2-20	1/8 X 1 1/4	5 80	48.35	Press x Press x Pex	Press Fit	BPPXT-	
BP4-2-24	1/8 X 1 1/2	5 75	72.09	BPPXT-12-12-08	3/4 X 3/4 X 1/2	10 150	19.05
BP4-2-32	1/8 X 2	5 25	106.14	BPPXT-16-16-08	1 X 1 X 1/2	5 100	25.40
BP4-24-20	1 1/2 X 1 1/4	1 55	43.32	BPPXT-16-16-12	1 X 1 X 3/4	5 100	28.60
BP4-24-32	1 1/2 X 2	1 40	94.83	Press x Press Union			
BP4-32-24	2 X 1 1/2	1 40	78.64		Press Fit	BP33-	
BP4-2-08-12	1/8 X 1/2 X 3/4	5 20	23.50	BP33-08	1/2	1 144	27.80
BP4-2-12-08	1/8 X 3/4 X 1/2	5 180	23.95				
BP4-2-16-12	1/8 X 1 X 3/4	5 200	36.65				
Male Union							
Press x Male Thread (MPT)	Press Fit	BP33-4-					
BP33-4-08	1/2	1 144	24.27				
BP33-4-12	3/4	1 60	33.59				



Press x Press Union...Continued				
Press Fit				BP33-
BP33-12	3/4	1	60	36.44
BP33-16	1	1	32	58.22
BP33-20	1 1/4	1	28	83.09
BP33-24	1 1/2	1	24	112.86
BP33-32	2	1	16	184.27
Straight Coupling With Stop				
Press x Press		Press Fit		BP0-
BP0-08	1/2	10	450	3.35
BP0-12	3/4	10	260	5.06
BP0-16	1	5	170	10.21
BP0-20	1 1/4	1	80	12.66
BP0-24	1 1/2	1	50	23.59
BP0-32	2	1	30	30.08
BP0-40	2 1/2	1	32	96.20
BP0-48	3	1	18	122.51
BP0-64	4	1	12	170.09
BP0-12-08	3/4 X 1/2	10	300	15.13
BP0-16-08	1 X 1/2	10	200	26.50
BP0-16-12	1 X 3/4	10	200	17.35
BP0-20-08	1 1/4 X 1/2	1	80	61.45
BP0-20-12	1 1/4 X 3/4	1	80	39.05
BP0-20-16	1 1/4 X 1	1	80	25.20
BP0-24-08	1 1/2 X 1/2	1	65	81.95
BP0-24-12	1 1/2 X 3/4	1	65	46.70
BP0-24-16	1 1/2 X 1	1	70	41.85
BP0-24-20	1 1/2 X 1 1/4	1	60	37.06
BP0-32-08	2 X 1/2	1	45	109.30
BP0-32-12	2 X 3/4	1	45	43.60
BP0-32-16	2 X 1	1	45	63.50
BP0-32-20	2 X 1 1/4	1	40	52.80
BP0-32-24	2 X 1 1/2	1	40	41.70
BP0-40-16	2 1/2 X 1	1	0	180.25
BP0-40-20	2 1/2 X 1 1/4	1	0	187.25
BP0-40-24	2 1/2 X 1 1/2	1	0	190.00
BP0-40-32	2 1/2 X 2	1	30	190.00
BP0-48-24	3 X 1 1/2	1	24	209.50
BP0-48-32	3 X 2	1	24	209.85
BP0-48-40	3 X 2 1/2	1	24	246.03
BP0-64-32	4 X 2	1	10	261.00
BP0-64-40	4 X 2 1/2	1	10	289.00

BP0-64-48	4 X 3	1	10	318.00
Tee with Female Thread Branch (FPT)				
Press x Press x Female Thread (FPT) Press Fit				BP12-
BP12-08	1/2	5	0	18.70
BP12-12	3/4	5	80	31.75
BP12-20	1 1/4	5	50	102.89
BP12-24	1 1/2	5	80	188.09
BP12-12-12-08	3/4 X 3/4 X 1/2	5	100	25.35
BP12-16-16-08	1 X 1 X 1/2	5	70	32.50
BP12-16-16-12	1 X 1 X 3/4	5	60	37.65
BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1	0	46.50
BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1	0	48.15
BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1	32	55.50
BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1	0	80.00
BP12-32-32-08	2 X 2 X 1/2	1	0	67.00
BP12-32-32-12	2 X 2 X 3/4	1	0	66.00
Tees				
Press x Press x Press		Press Fit		BPT-
BPT-08	1/2	10	200	5.65
BPT-12	3/4	10	120	9.97
BPT-16	1	5	70	17.94
BPT-20	1 1/4	1	45	30.33
BPT-24	1 1/2	1	25	58.89
BPT-32	2	1	15	72.76
BPT-40	2 1/2	1	10	238.60
BPT-48	3	1	7	298.23
BPT-64	4	1	4	418.46
BPT-08-08-12	1/2 X 1/2 X 3/4	10	140	18.95
BPT-08-08-16	1/2 X 1/2 X 1	5	140	26.80
BPT-12-08-08	3/4 X 1/2 X 1/2	10	150	15.36
BPT-12-08-12	3/4 X 1/2 X 3/4	5	120	15.97
BPT-12-12-08	3/4 X 3/4 X 1/2	10	140	8.38
BPT-12-12-16	3/4 X 3/4 X 1	5	80	30.10
BPT-16-08-12	1 X 1/2 X 3/4	5	80	45.80
BPT-16-08-16	1 X 1/2 X 1	5	80	28.90
BPT-16-12-08	1 X 3/4 X 1/2	5	100	30.45
BPT-16-12-12	1 X 3/4 X 3/4	5	100	27.26
BPT-16-12-16	1 X 3/4 X 1	5	70	30.81
BPT-16-16-08	1 X 1 X 1/2	5	100	20.52
BPT-16-16-12	1 X 1 X 3/4	5	80	20.40
BPT-16-16-20	1 X 1 X 1 1/4	1	70	52.35
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1	40	59.77



Tees... Continued				
Press x Press x Press	Press Fit	BPT-		
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1	40	59.77
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1	50	46.63
BPT-20-12-12	1 1/4 X 3/4 X 3/4	1	50	52.16
BPT-20-12-16	1 1/4 X 3/4 X 1	1	45	54.24
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	1	40	47.99
BPT-20-16-08	1 1/4 X 1 X 1/2	1	45	37.25
BPT-20-16-12	1 1/4 X 1 X 3/4	1	45	30.35
BPT-20-16-16	1 1/4 X 1 X 1	1	50	32.65
BPT-20-16-20	1 1/4 X 1 X 1 1/4	5	25	84.22
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	1	60	25.40
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	1	55	27.75
BPT-20-20-16	1 1/4 X 1 1/4 X 1	1	50	28.84
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	1	30	74.80
BPT-24-16-12	1 1/2 X 1 X 3/4	1	30	74.80
BPT-24-16-16	1 1/2 X 1 X 1	1	30	83.35
BPT-24-16-24	1 1/2 X 1 X 1 1/2	1	25	91.40
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1	25	64.04
BPT-24-20-16	1 1/2 X 1 1/4 X 1	1	25	74.24
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	1	25	54.85
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	1	40	62.69
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	1	35	52.29
BPT-24-24-16	1 1/2 X 1 1/2 X 1	1	35	53.25
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	1	30	55.12
BPT-32-08-32	2 X 1/2 X 2	1	10	118.15
BPT-32-16-16	2 X 1 X 1	1	0	84.74
BPT-32-16-32	2 X 1 X 2	1	0	120.84
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1	20	122.06
BPT-32-24-12	2 X 1 1/2 X 3/4	1	20	104.65
BPT-32-24-16	2 X 1 1/2 X 1	1	20	103.31
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1	16	106.72
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1	16	108.20
BPT-32-24-32	2 X 1 1/2 X 2	1	16	100.72
BPT-32-32-08	2 X 2 X 1/2	1	25	100.72
BPT-32-32-12	2 X 2 X 3/4	1	25	85.15
BPT-32-32-16	2 X 2 X 1	1	23	87.99
BPT-32-32-20	2 X 2 X 1 1/4	1	20	87.99
BPT-32-32-24	2 X 2 X 1 1/2	1	16	66.14
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1	0	353.72
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1	0	365.25
BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1	0	323.50
BPT-40-32-12	2 1/2 X 2 X 3/4	1	0	340.00
BPT-40-32-16	2 1/2 X 2 X 1	1	0	320.00
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1	0	300.50

BPT-40-32-32	2 1/2 X 2 X 2	1	10	301.75
BPT-40-32-40	2 1/2 X 2 X 2 1/2	1	0	340.05
BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1	18	332.75
BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1	18	332.75
BPT-40-40-16	2 1/2 X 2 1/2 X 1	1	16	332.75
BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1	15	332.75
BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1	12	317.97
BPT-40-40-32	2 1/2 X 2 1/2 X 2	1	10	280.29
BPT-48-12-48	3 X 3/4 X 3	1	0	356.61
BPT-48-16-48	3 X 1 X 3	1	0	377.75
BPT-48-32-32	3 X 2 X 2	1	9	377.45
BPT-48-32-48	3 X 2 X 3	1	0	397.55
BPT-48-40-32	3 X 2 1/2 X 2	1	0	371.80
BPT-48-40-40	3 X 2 1/2 X 2 1/2	1	0	410.60
BPT-48-48-08	3 X 3 X 1/2	1	0	362.44
BPT-48-48-12	3 X 3 X 3/4	1	12	350.67
BPT-48-48-16	3 X 3 X 1	1	12	350.67
BPT-48-48-20	3 X 3 X 1 1/4	1	10	350.67
BPT-48-48-24	3 X 3 X 1 1/2	1	10	350.67
BPT-48-48-32	3 X 3 X 2	1	10	343.12
BPT-48-48-40	3 X 3 X 2 1/2	1	7	357.88
BPT-64-48-48	4 X 3 X 3	1	0	570.03
BPT-64-64-08	4 X 4 X 1/2	1	0	561.77
BPT-64-64-12	4 X 4 X 3/4	1	0	554.28
BPT-64-64-16	4 X 4 X 1	1	8	411.82
BPT-64-64-20	4 X 4 X 1 1/4	1	5	500.13
BPT-64-64-24	4 X 4 X 1 1/2	1	6	475.38
BPT-64-64-32	4 X 4 X 2	1	6	378.78
BPT-64-64-40	4 X 4 X 2 1/2	1	4	390.37
BPT-64-64-48	4 X 4 X 3	1	4	427.92
BPT-64-64-48	4 X 4 X 3	1	4	427.92



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrot*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.