

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrought copper products

C Press Fittings

USA

Price List #6

Effective July 1, 2019

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
150# FLANGES				BP7-32	2	2 6	67.36
press x flange Press Fit BP41-				BP7-40	2 1/2	1 12	199.44
BP41-20	1 1/4	1 0	239.16	BP7-48	3	1 9	250.91
BP41-24	1 1/2	1 0	255.70	BP7-64	4	1 4	310.41
BP41-32	2	1 0	281.76	BP7-12-08	3/4 X 1/2	15 240	8.50
BP41-40	2 1/2	1 0	287.02	BP7-16-12	1 X 3/4	10 120	19.27
BP41-48	3	1 0	368.75	90° Bend with MPT Thread			
BP41-64	4	1 6	412.54	Press x Male Thread (MPT) Press Fit BP74-			
45° Elbow				BP74-08	1/2	5 0	20.07
Press x Press Press Fit BP6-				BP74-12	3/4	5 0	33.54
BP6-08	1/2	10 120	4.55	BP74-16	1	5 65	46.92
BP6-12	3/4	10 60	5.59	BP74-20	1 1/4	1 0	65.51
BP6-16	1	5 30	17.85	BP74-24	1 1/2	1 0	87.45
BP6-20	1 1/4	4 20	25.59	BP74-32	2	1 0	126.90
BP6-24	1 1/2	2 12	41.47	90° Elbow Drop Ear FIP Thread			
BP6-32	2	2 6	56.91	Press x Female Thread (FPT) Press Fit BP735-			
BP6-40	2 1/2	1 16	134.20	BP735-08	1/2	10 100	19.67
BP6-48	3	1 12	188.22	BP735-12	3/4	6 60	38.81
BP6-64	4	1 6	266.42	90° Elbow with FPT Thread			
45° Street Elbow				Press x Female Thread (FPT) Press Fit BP73-			
Press x Fitting Press Fit BP6-2-				BP73-08	1/2	5 0	13.62
BP6-2-08	1/2	10 450	3.58	BP73-12	3/4	5 0	21.68
BP6-2-12	3/4	10 60	5.31	BP73-16	1	1 0	37.65
BP6-2-16	1	10 30	17.41	BP73-20	1 1/4	1 0	61.68
BP6-2-20	1 1/4	4 20	25.61	BP73-24	1 1/2	1 0	81.23
BP6-2-24	1 1/2	1 40	39.16	BP73-32	2	1 0	132.51
BP6-2-32	2	2 6	58.05	90° Street Elbow			
BP6-2-40	2 1/2	1 16	163.52	Press x Press Press Fit BP7-2-			
BP6-2-48	3	1 12	236.98	BP7-2-08	1/2	10 400	3.91
BP6-2-64	4	1 6	342.65	BP7-2-12	3/4	10 50	6.59
90° Bend				BP7-2-16	1	5 30	15.16
Press x Press Press Fit BP7-				BP7-2-20	1 1/4	2 55	27.90
BP7-08	1/2	10 350	3.76	BP7-2-24	1 1/2	2 18	51.29
BP7-12	3/4	10 180	6.34	BP7-2-32	2	2 6	70.52
BP7-16	1	5 100	12.71	BP7-2-40	2 1/2	1 14	223.33
BP7-20	1 1/4	2 55	25.63	BP7-2-48	3	1 9	259.70
BP7-24	1 1/2	2 8	48.46				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
90° Street Elbow...Continued							
Press x Press		Press Fit				BP7-2-	
BP7-2-64	4	1	4	330.74			
Cap							
Press		Press Fit				BP17-	
BP17-08	1/2	10	450	6.95			
BP17-12	3/4	10	450	11.78			
BP17-16	1	10	250	17.98			
BP17-20	1 1/4	10	100	21.78			
BP17-24	1 1/2	5	80	33.95			
BP17-32	2	5	55	41.50			
BP17-40	2 1/2	1	40	140.43			
BP17-48	3	1	36	177.76			
BP17-64	4	1	24	207.24			
Crossover Coupling							
Press x Press		Press Fit				BP36-	
BP36-08	1/2	10	0	26.04			
BP36-12	3/4	10	0	32.85			
Female Adapter							
Press x Female Pipe Thread (FPT)		Press Fit				BP3-	
BP3-08	1/2	30	300	5.54			
BP3-12	3/4	15	150	8.67			
BP3-16	1	12	120	16.59			
BP3-20	1 1/4	9	90	37.25			
BP3-24	1 1/2	5	20	52.06			
BP3-32	2	4	40	86.25			
BP3-40	2 1/2	1	36	204.88			
BP3-48	3	1	24	335.55			
BP3-08-12	1/2 X 3/4	30	300	8.85			
BP3-12-08	3/4 X 1/2	10	180	9.07			
BP3-16-08	1 X 1/2	10	200	27.21			
BP3-16-12	1 X 3/4	10	100	28.21			
BP3-16-20	1 X 1 1/4	10	180	27.14			
BP3-20-16	1 1/4 X 1	1	55	37.78			
BP3-20-24	1 1/4 X 1 1/2	1	55	44.95			
BP3-2-08	1/8 X 1/2	25	250	17.76			
BP3-2-12	1/8 X 3/4	25	250	25.70			
BP3-2-16	1/8 X 1	20	200	40.05			
BP3-2-20	1/8 X 1 1/4	10	100	71.04			
BP3-2-24	1/8 X 1 1/2	5	100	79.21			
BP3-2-32	1/8 X 2	5	50	134.19			
BP3-24-20	1 1/2 X 1 1/4	1	55	47.03			
BP3-2-08-12	1/8 X 1/2 X 3/4	5	100	19.38			
BP3-2-12-08	1/8 X 3/4 X 1/2	25	250	24.10			
BP3-2-16-12	1/8 X 1 X 3/4	10	100	37.77			
Female Union							
Press x Female Thread (FPT)		Press Fit				BP33-3-	
BP33-3-08	1/2	24	192	24.66			
BP33-3-12	3/4	9	90	32.25			
BP33-3-16	1	6	48	51.35			
BP33-3-20	1 1/4	1	28	64.32			
BP33-3-24	1 1/2	3	24	91.88			
BP33-3-32	2	2	16	136.51			
Fitting Reducer							
Press x Fitting		Press Fit				BP02-	
BP02-12-08	3/4 X 1/2	10	120	3.99			
BP02-16-08	1 X 1/2	10	300	11.58			
BP02-16-12	1 X 3/4	10	60	10.58			
BP02-20-08	1 1/4 X 1/2	5	180	13.37			
BP02-20-12	1 1/4 X 3/4	5	170	13.75			
BP02-20-16	1 1/4 X 1	4	36	14.36			
BP02-24-08	1 1/2 X 1/2	5	130	38.73			
BP02-24-12	1 1/2 X 3/4	1	70	23.32			
BP02-24-16	1 1/2 X 1	4	24	21.08			
BP02-24-20	1 1/2 X 1 1/4	4	24	21.21			
BP02-32-08	2 X 1/2	2	12	46.79			
BP02-32-12	2 X 3/4	2	12	46.40			
BP02-32-16	2 X 1	2	12	23.89			
BP02-32-20	2 X 1 1/4	2	12	29.25			
BP02-32-24	2 X 1 1/2	2	12	28.44			
BP02-40-16	2 1/2 X 1	1	38	99.85			
BP02-40-20	2 1/2 X 1 1/4	1	38	130.48			
BP02-40-24	2 1/2 X 1 1/2	1	35	147.00			
BP02-40-32	2 1/2 X 2	1	35	126.40			
BP02-48-20	3 X 1 1/4	1	25	155.80			
BP02-48-24	3 X 1 1/2	1	20	160.80			
BP02-48-32	3 X 2	1	20	156.49			
BP02-48-40	3 X 2 1/2	1	17	161.20			



CELLO #	SIZE	BOX/MC	LIST
Fitting Reducer...Continued			
Press x Fitting	Press Fit	BP02-	
BP02-64-32	4 X 2	1 10	180.10
BP02-64-40	4 X 2 1/2	1 10	196.78
BP02-64-48	4 X 3	1 10	207.98
Male Adapter			
Press x Male Pipe Thread (MPT)	Press Fit	BP4-	
BP4-08	1/2	30 300	4.44
BP4-12	3/4	16 160	7.98
BP4-16	1	16 160	14.92
BP4-20	1 1/4	10 80	32.64
BP4-24	1 1/2	5 50	45.77
BP4-32	2	5 35	88.11
BP4-40	2 1/2	1 28	203.26
BP4-48	3	1 18	259.74
BP4-64	4	1 12	315.77
BP4-08-12	1/2 X 3/4	18 180	9.34
BP4-12-08	3/4 X 1/2	10 180	9.79
BP4-12-16	3/4 X 1	10 100	19.92
BP4-16-12	1 X 3/4	9 90	24.59
BP4-16-20	1 X 1 1/4	10 100	31.19
BP4-20-16	1 1/4 X 1	1 95	35.91
BP4-20-24	1 1/4 X 1 1/2	1 55	38.34
BP4-2-08	1/8 X 1/2	5 250	16.22
BP4-2-12	1/8 X 3/4	5 160	27.11
BP4-2-16	1/8 X 1	5 200	40.54
BP4-2-20	1/8 X 1 1/4	5 80	53.77
BP4-2-24	1/8 X 1 1/2	5 75	80.19
BP4-2-32	1/8 X 2	5 25	118.05
BP4-24-20	1 1/2 X 1 1/4	1 55	48.16
BP4-24-32	1 1/2 X 2	1 40	94.17
BP4-32-24	2 X 1 1/2	1 40	84.92
BP4-2-08-12	1/8 X 1/2 X 3/4	5 20	26.63
BP4-2-12-08	1/8 X 3/4 X 1/2	5 180	26.73
BP4-2-16-12	1/8 X 1 X 3/4	5 200	40.63
Male Union			
Press x Male Thread (MPT)	Press Fit	BP33-4-	
BP33-4-08	1/2	12 144	26.03
BP33-4-12	3/4	6 60	37.19

CELLO #	SIZE	BOX/MC	LIST
BP33-4-16	1	4 32	53.78
BP33-4-20	1 1/4	4 28	77.05
BP33-4-24	1 1/2	2 24	107.49
BP33-4-32	2	2 16	136.04
No Stop Coupling			
Press x Press	Press Fit	BP0-NSTOP-	
BP0-NSTOP-08	1/2	10 450	8.15
BP0-NSTOP-12	3/4	10 260	10.25
BP0-NSTOP-16	1	10 170	13.29
BP0-NSTOP-20	1 1/4	4 80	20.75
BP0-NSTOP-24	1 1/2	2 50	31.98
BP0-NSTOP-32	2	2 35	35.98
BP0-NSTOP-40	2 1/2	1 32	104.71
BP0-NSTOP-48	3	1 18	136.26
BP0-NSTOP-64	4	1 12	178.78
Press by Pex (F1960) Adapter			
Press x Pex (F1960)	Press Fit	BPPXX0-	
BPPXX0-08	1/2	25 500	6.45
BPPXX0-12	3/4	10 200	8.45
BPPXX0-16	1	10 200	12.50
Press by Pex Adapter			
Press x Pex	Press Fit	BPPX0-	
BPPX0-08	1/2	25 500	6.57
BPPX0-12	3/4	10 200	7.95
BPPX0-16	1	10 150	12.50
Press to Pex Tee			
Press x Press x Pex	Press Fit	BPPXT-	
BPPXT-12-12-08	3/4 X 3/4 X 1/2	10 150	19.62
BPPXT-16-16-08	1 X 1 X 1/2	5 100	26.16
BPPXT-16-16-12	1 X 1 X 3/4	5 100	29.46
Press x Press Union			
	Press Fit	BP33-	
BP33-08	1/2	10 140	27.61



Press x Press Union...Continued				
		Press Fit		BP33-
BP33-12	3/4	6	60	36.19
BP33-16	1	5	32	57.81
BP33-20	1 1/4	4	28	82.51
BP33-24	1 1/2	3	24	112.07
BP33-32	2	2	16	182.97
Straight Coupling With Stop				
Press x Press		Press Fit		BP0-
BP0-08	1/2	10	450	3.39
BP0-12	3/4	10	260	5.14
BP0-16	1	10	170	10.35
BP0-20	1 1/4	4	80	13.34
BP0-24	1 1/2	2	50	24.37
BP0-32	2	2	30	31.09
BP0-40	2 1/2	1	32	99.34
BP0-48	3	1	18	126.50
BP0-64	4	1	12	179.03
BP0-12-08	3/4 X 1/2	10	50	8.83
BP0-16-08	1 X 1/2	10	200	16.83
BP0-16-12	1 X 3/4	10	100	11.05
BP0-20-08	1 1/4 X 1/2	1	80	84.38
BP0-20-12	1 1/4 X 3/4	1	80	26.31
BP0-20-16	1 1/4 X 1	4	24	21.50
BP0-24-08	1 1/2 X 1/2	1	65	87.50
BP0-24-12	1 1/2 X 3/4	1	65	38.85
BP0-24-16	1 1/2 X 1	1	70	37.69
BP0-24-20	1 1/2 X 1 1/4	4	20	40.49
BP0-32-08	2 X 1/2	1	45	119.22
BP0-32-12	2 X 3/4	1	45	44.50
BP0-32-16	2 X 1	1	45	47.08
BP0-32-20	2 X 1 1/4	2	12	46.35
BP0-32-24	2 X 1 1/2	1	12	46.35
BP0-40-16	2 1/2 X 1	1	0	178.79
BP0-40-20	2 1/2 X 1 1/4	1	0	185.90
BP0-40-24	2 1/2 X 1 1/2	1	0	187.84
BP0-40-32	2 1/2 X 2	1	30	189.06
BP0-48-24	3 X 1 1/2	1	24	207.85
BP0-48-32	3 X 2	1	24	208.38
BP0-48-40	3 X 2 1/2	1	24	244.31
BP0-64-32	4 X 2	1	10	259.16
BP0-64-40	4 X 2 1/2	1	10	286.12

BP0-64-48	4 X 3	1	10	314.99
Tee with Female Thread Branch (FPT)				
Press x Press x Female Thread (FPT)		Press Fit		BP12-
BP12-08	1/2	5	0	18.85
BP12-12	3/4	8	80	29.75
BP12-20	1 1/4	5	50	102.89
BP12-24	1 1/2	5	80	188.09
BP12-12-12-08	3/4 X 3/4 X 1/2	5	100	27.35
BP12-16-16-08	1 X 1 X 1/2	5	70	34.99
BP12-16-16-12	1 X 1 X 3/4	5	60	41.35
BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1	0	50.04
BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1	0	51.87
BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1	32	63.50
BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1	0	85.90
BP12-32-32-08	2 X 2 X 1/2	1	0	74.20
BP12-32-32-12	2 X 2 X 3/4	1	0	75.20
Tees				
Press x Press x Press		Press Fit		BPT-
BPT-08	1/2	10	60	5.75
BPT-12	3/4	10	30	10.09
BPT-16	1	4	20	18.53
BPT-20	1 1/4	2	12	31.93
BPT-24	1 1/2	2	8	60.81
BPT-32	2	1	4	75.14
BPT-40	2 1/2	1	10	251.13
BPT-48	3	1	7	307.98
BPT-64	4	1	4	440.44
BPT-08-08-12	1/2 X 1/2 X 3/4	10	140	18.79
BPT-08-08-16	1/2 X 1/2 X 1	5	140	26.58
BPT-12-08-08	3/4 X 1/2 X 1/2	10	150	16.18
BPT-12-08-12	3/4 X 1/2 X 3/4	5	120	17.45
BPT-12-12-08	3/4 X 3/4 X 1/2	10	40	8.83
BPT-12-12-16	3/4 X 3/4 X 1	5	80	29.88
BPT-16-08-12	1 X 1/2 X 3/4	5	80	20.97
BPT-16-08-16	1 X 1/2 X 1	5	80	32.08
BPT-16-12-08	1 X 3/4 X 1/2	10	30	33.88
BPT-16-12-12	1 X 3/4 X 3/4	10	30	29.79
BPT-16-12-16	1 X 3/4 X 1	5	70	29.79
BPT-16-16-08	1 X 1 X 1/2	10	30	21.60
BPT-16-16-12	1 X 1 X 3/4	10	30	21.08
BPT-16-16-20	1 X 1 X 1 1/4	1	70	58.16
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1	40	59.35



Tees... Continued					
Press x Press x Press		Press Fit		BPT-	
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1	40	59.35	
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1	50	46.31	
BPT-20-12-12	1 1/4 X 3/4 X 3/4	1	50	51.79	
BPT-20-12-16	1 1/4 X 3/4 X 1	1	45	53.86	
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	1	40	47.65	
BPT-20-16-08	1 1/4 X 1 X 1/2	1	45	38.95	
BPT-20-16-12	1 1/4 X 1 X 3/4	1	45	35.14	
BPT-20-16-16	1 1/4 X 1 X 1	1	50	38.32	
BPT-20-16-20	1 1/4 X 1 X 1 1/4	5	25	91.25	
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	1	60	27.77	
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	1	55	29.20	
BPT-20-20-16	1 1/4 X 1 1/4 X 1	1	50	31.51	
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	1	30	79.10	
BPT-24-16-12	1 1/2 X 1 X 3/4	1	30	83.02	
BPT-24-16-16	1 1/2 X 1 X 1	1	30	92.66	
BPT-24-16-24	1 1/2 X 1 X 1 1/2	1	25	90.76	
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1	25	63.60	
BPT-24-20-16	1 1/2 X 1 1/4 X 1	1	25	73.95	
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	1	25	61.00	
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	1	40	65.98	
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	1	35	54.01	
BPT-24-24-16	1 1/2 X 1 1/2 X 1	1	35	56.05	
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	1	30	60.20	
BPT-32-08-32	2 X 1/2 X 2	1	10	125.81	
BPT-32-16-16	2 X 1 X 1	1	0	89.34	
BPT-32-16-32	2 X 1 X 2	1	0	126.53	
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1	20	121.21	
BPT-32-24-12	2 X 1 1/2 X 3/4	1	20	103.92	
BPT-32-24-16	2 X 1 1/2 X 1	1	20	102.58	
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1	16	105.97	
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1	16	120.32	
BPT-32-24-32	2 X 1 1/2 X 2	1	16	100.01	
BPT-32-32-08	2 X 2 X 1/2	1	6	104.01	
BPT-32-32-12	2 X 2 X 3/4	1	6	87.93	
BPT-32-32-16	2 X 2 X 1	1	23	90.87	
BPT-32-32-20	2 X 2 X 1 1/4	1	20	92.61	
BPT-32-32-24	2 X 2 X 1 1/2	1	16	69.62	
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1	0	351.22	
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1	0	362.63	
BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1	0	320.94	
BPT-40-32-12	2 1/2 X 2 X 3/4	1	0	337.45	
BPT-40-32-16	2 1/2 X 2 X 1	1	0	317.73	
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1	0	298.36	

BPT-40-32-32	2 1/2 X 2 X 2	1	10	293.56	
BPT-40-32-40	2 1/2 X 2 X 2 1/2	1	0	337.63	
BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1	18	323.78	
BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1	18	343.61	
BPT-40-40-16	2 1/2 X 2 1/2 X 1	1	16	343.61	
BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1	15	350.23	
BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1	12	334.68	
BPT-40-40-32	2 1/2 X 2 1/2 X 2	1	10	295.02	
BPT-48-12-48	3 X 3/4 X 3	1	0	354.09	
BPT-48-16-48	3 X 1 X 3	1	0	375.08	
BPT-48-32-32	3 X 2 X 2	1	9	374.80	
BPT-48-32-48	3 X 2 X 3	1	0	394.75	
BPT-48-40-32	3 X 2 1/2 X 2	1	0	369.18	
BPT-48-40-40	3 X 2 1/2 X 2 1/2	1	0	407.70	
BPT-48-48-08	3 X 3 X 1/2	1	0	359.88	
BPT-48-48-12	3 X 3 X 3/4	1	12	369.09	
BPT-48-48-16	3 X 3 X 1	1	12	369.09	
BPT-48-48-20	3 X 3 X 1 1/4	1	10	369.09	
BPT-48-48-24	3 X 3 X 1 1/2	1	10	369.09	
BPT-48-48-32	3 X 3 X 2	1	10	354.32	
BPT-48-48-40	3 X 3 X 2 1/2	1	7	390.89	
BPT-64-48-48	4 X 3 X 3	1	0	566.01	
BPT-64-64-08	4 X 4 X 1/2	1	0	557.81	
BPT-64-64-12	4 X 4 X 3/4	1	0	550.37	
BPT-64-64-16	4 X 4 X 1	1	8	408.92	
BPT-64-64-20	4 X 4 X 1 1/4	1	5	496.59	
BPT-64-64-24	4 X 4 X 1 1/2	1	6	462.60	
BPT-64-64-32	4 X 4 X 2	1	6	398.67	
BPT-64-64-40	4 X 4 X 2 1/2	1	4	379.86	
BPT-64-64-48	4 X 4 X 3	1	4	416.41	
BPT-64-64-48	4 X 4 X 3	1	4	416.41	



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.