

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrot copper products

C Press Fittings

USA

Price List #8

Effective January 15, 2021

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
150# FLANGES				BP7-32	2	2 12	73.22
press x flange Press Fit BP41-				BP7-40	2 1/2	1 12	216.78
BP41-20	1 1/4	1 0	259.96	BP7-48	3	1 9	272.73
BP41-24	1 1/2	1 0	277.93	BP7-64	4	1 4	337.40
BP41-32	2	1 0	306.26	BP7-12-08	3/4 X 1/2	15 240	9.24
BP41-40	2 1/2	1 0	311.98	BP7-16-12	1 X 3/4	10 70	20.95
BP41-48	3	1 6	400.82	90° Bend with MPT Thread			
BP41-64	4	1 6	448.41	Press x Male Thread (MPT) Press Fit BP74-			
45° Elbow				BP74-08	1/2	10 80	21.82
Press x Press Press Fit BP6-				BP74-12	3/4	12 96	36.46
BP6-08	1/2	10 240	4.95	BP74-16	1	9 72	51.00
BP6-12	3/4	10 120	6.08	BP74-20	1 1/4	4 32	71.21
BP6-16	1	5 60	19.40	BP74-24	1 1/2	2 16	95.05
BP6-20	1 1/4	4 40	27.82	BP74-32	2	2 16	137.93
BP6-24	1 1/2	2 24	45.08	90° Elbow Drop Ear FIP Thread			
BP6-32	2	2 12	61.86	Press x Female Thread (FPT) Press Fit BP735-			
BP6-40	2 1/2	1 16	145.87	BP735-08	1/2	10 80	21.38
BP6-48	3	1 12	204.59	BP735-12	3/4	8 64	42.18
BP6-64	4	1 6	289.59	90° Elbow with FPT Thread			
45° Street Elbow				Press x Female Thread (FPT) Press Fit BP73-			
Press x Fitting Press Fit BP6-2-				BP73-08	1/2	20 160	14.80
BP6-2-08	1/2	10 240	3.89	BP73-12	3/4	10 80	23.57
BP6-2-12	3/4	10 120	5.77	BP73-16	1	7 56	40.92
BP6-2-16	1	10 60	18.92	BP73-20	1 1/4	4 32	67.04
BP6-2-20	1 1/4	4 40	27.84	BP73-24	1 1/2	2 16	88.29
BP6-2-24	1 1/2	2 20	42.57	BP73-32	2	2 16	144.03
BP6-2-32	2	2 12	63.10	90° Street Elbow			
BP6-2-40	2 1/2	1 16	177.74	Press x Press Press Fit BP7-2-			
BP6-2-48	3	1 12	257.59	BP7-2-08	1/2	10 240	4.25
BP6-2-64	4	1 6	372.45	BP7-2-12	3/4	10 100	7.16
90° Bend				BP7-2-16	1	5 60	16.48
Press x Press Press Fit BP7-				BP7-2-20	1 1/4	2 36	30.33
BP7-08	1/2	10 240	4.09	BP7-2-24	1 1/2	2 20	55.75
BP7-12	3/4	10 100	6.89	BP7-2-32	2	2 12	76.65
BP7-16	1	5 60	13.82	BP7-2-40	2 1/2	1 14	242.75
BP7-20	1 1/4	2 36	27.86	BP7-2-48	3	1 9	282.28
BP7-24	1 1/2	2 20	52.67				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
90° Street Elbow...Continued				BP3-2-16	1/8 X 1	20 200	43.53
Press x Press Press Fit BP7-2-				BP3-2-20	1/8 X 1 1/4	10 100	77.22
BP7-2-64	4	1 4	359.50	BP3-2-24	1/8 X 1 1/2	5 100	86.10
Cap				BP3-2-32	1/8 X 2	5 50	145.86
Press Press Fit BP17-				BP3-24-20	1 1/2 X 1 1/4	6 48	51.12
BP17-08	1/2	10 600	7.55	BP3-2-08-12	1/8 X 1/2 X 3/4	5 100	21.07
BP17-12	3/4	10 300	12.80	BP3-2-12-08	1/8 X 3/4 X 1/2	25 250	26.20
BP17-16	1	10 240	19.54	BP3-2-16-12	1/8 X 1 X 3/4	10 100	41.05
BP17-20	1 1/4	10 120	23.67	Female Union			
BP17-24	1 1/2	5 60	36.90	Press x Female Thread (FPT) Press Fit BP33-3-			
BP17-32	2	5 40	45.11	BP33-3-08	1/2	12 96	26.80
BP17-40	2 1/2	1 40	152.64	BP33-3-12	3/4	10 80	35.05
BP17-48	3	1 36	193.22	BP33-3-16	1	5 40	55.82
BP17-64	4	1 24	225.26	BP33-3-20	1 1/4	4 32	69.91
Crossover Coupling				BP33-3-24	1 1/2	3 24	99.87
Press x Press Press Fit BP36-				BP33-3-32	2	3 15	148.38
BP36-08	1/2	10 100	28.30	Fitting Reducer			
BP36-12	3/4	10 50	35.71	Press x Fitting Press Fit BP02-			
Female Adapter				BP02-12-08	3/4 X 1/2	10 240	4.34
Press x Female Pipe Thread (FPT) Press Fit BP3-				BP02-16-08	1 X 1/2	10 160	12.59
BP3-08	1/2	25 200	6.02	BP02-16-12	1 X 3/4	10 160	11.50
BP3-12	3/4	15 120	9.42	BP02-20-08	1 1/4 X 1/2	5 180	14.53
BP3-16	1	12 96	18.03	BP02-20-12	1 1/4 X 3/4	4 104	14.95
BP3-20	1 1/4	8 64	40.49	BP02-20-16	1 1/4 X 1	4 104	15.61
BP3-24	1 1/2	6 48	56.59	BP02-24-08	1 1/2 X 1/2	4 56	42.10
BP3-32	2	3 24	93.75	BP02-24-12	1 1/2 X 3/4	4 56	25.35
BP3-40	2 1/2	1 36	222.70	BP02-24-16	1 1/2 X 1	4 56	22.91
BP3-48	3	1 24	364.73	BP02-24-20	1 1/2 X 1 1/4	4 56	23.05
BP3-08-12	1/2 X 3/4	15 120	9.62	BP02-32-08	2 X 1/2	2 48	50.86
BP3-12-08	3/4 X 1/2	25 200	9.86	BP02-32-12	2 X 3/4	2 44	50.43
BP3-16-08	1 X 1/2	10 200	29.58	BP02-32-16	2 X 1	2 40	25.97
BP3-16-12	1 X 3/4	15 120	30.66	BP02-32-20	2 X 1 1/4	2 40	31.79
BP3-16-20	1 X 1 1/4	8 64	29.50	BP02-32-24	2 X 1 1/2	2 32	30.91
BP3-20-16	1 1/4 X 1	8 64	41.07	BP02-40-16	2 1/2 X 1	1 38	108.53
BP3-20-24	1 1/4 X 1 1/2	6 48	48.86	BP02-40-20	2 1/2 X 1 1/4	1 38	141.83
BP3-2-08	1/8 X 1/2	25 250	19.30	BP02-40-24	2 1/2 X 1 1/2	1 35	159.78
BP3-2-12	1/8 X 3/4	25 250	27.93	BP02-40-32	2 1/2 X 2	1 35	137.39
				BP02-48-20	3 X 1 1/4	1 25	169.35
				BP02-48-24	3 X 1 1/2	1 20	174.78
				BP02-48-32	3 X 2	1 20	170.10
				BP02-48-40	3 X 2 1/2	1 16	175.22



CELLO #	SIZE	BOX/MC	LIST
Fitting Reducer...Continued			
Press x Fitting		Press Fit	BP02-
BP02-64-32	4 X 2	1 10	195.76
BP02-64-40	4 X 2 1/2	1 10	213.89
BP02-64-48	4 X 3	1 10	226.07
Male Adapter			
Press x Male Pipe Thread (MPT)		Press Fit	BP4-
BP4-08	1/2	25 200	4.83
BP4-12	3/4	15 120	8.67
BP4-16	1	15 120	16.22
BP4-20	1 1/4	8 64	35.48
BP4-24	1 1/2	4 32	49.75
BP4-32	2	3 24	95.77
BP4-40	2 1/2	1 28	220.93
BP4-48	3	1 18	282.33
BP4-64	4	1 12	343.23
BP4-08-12	1/2 X 3/4	18 144	10.15
BP4-12-08	3/4 X 1/2	15 120	10.64
BP4-12-16	3/4 X 1	15 120	21.65
BP4-16-12	1 X 3/4	15 120	26.73
BP4-16-20	1 X 1 1/4	9 72	33.90
BP4-20-16	1 1/4 X 1	8 64	39.03
BP4-20-24	1 1/4 X 1 1/2	4 32	41.67
BP4-2-08	1/8 X 1/2	5 250	17.63
BP4-2-12	1/8 X 3/4	5 160	29.47
BP4-2-16	1/8 X 1	5 200	44.07
BP4-2-20	1/8 X 1 1/4	5 80	58.45
BP4-2-24	1/8 X 1 1/2	5 75	87.16
BP4-2-32	1/8 X 2	5 25	128.32
BP4-24-20	1 1/2 X 1 1/4	5 40	52.35
BP4-24-32	1 1/2 X 2	3 24	102.36
BP4-32-24	2 X 1 1/2	3 24	92.30
BP4-2-08-12	1/8 X 1/2 X 3/4	5 20	28.95
BP4-2-12-08	1/8 X 3/4 X 1/2	5 180	29.05
BP4-2-16-12	1/8 X 1 X 3/4	5 200	44.16
Male Union			
Press x Male Thread (MPT)		Press Fit	BP33-4-
BP33-4-08	1/2	12 96	28.29
BP33-4-12	3/4	10 80	40.42

CELLO #	SIZE	BOX/MC	LIST
BP33-4-16	1	5 40	58.46
BP33-4-20	1 1/4	4 32	83.75
BP33-4-24	1 1/2	3 24	116.84
BP33-4-32	2	3 15	147.87
No Stop Coupling			
Press x Press		Press Fit	BP0-NSTOP-
BP0-NSTOP-08	1/2	10 300	8.86
BP0-NSTOP-12	3/4	10 160	11.14
BP0-NSTOP-16	1	10 120	14.45
BP0-NSTOP-20	1 1/4	4 64	22.55
BP0-NSTOP-24	1 1/2	2 40	34.76
BP0-NSTOP-32	2	2 20	39.11
BP0-NSTOP-40	2 1/2	1 32	113.82
BP0-NSTOP-48	3	1 18	148.11
BP0-NSTOP-64	4	1 12	194.33
Press by Pex (F1960) Adapter			
Press x Pex (F1960)		Press Fit	BPPXX0-
BPPXX0-08	1/2	40 320	7.01
BPPXX0-12	3/4	15 120	9.18
BPPXX0-16	1	12 96	13.59
Press by Pex Adapter			
Press x Pex		Press Fit	BPPX0-
BPPX0-08	1/2	40 320	7.14
BPPX0-12	3/4	15 120	8.64
BPPX0-16	1	12 96	13.59
Press to Pex Tee			
Press x Press x Pex		Press Fit	BPPXT-
BPPXT-12-12-08	3/4 X 3/4 X 1/2	10 80	21.33
BPPXT-16-16-08	1 X 1 X 1/2	7 56	28.43
BPPXT-16-16-12	1 X 1 X 3/4	7 56	32.02
Press x Press Union			
		Press Fit	BP33-
BP33-08	1/2	12 96	30.01



Press x Press Union...Continued				
		Press Fit		BP33-
BP33-12	3/4	10	80	39.34
BP33-16	1	5	40	62.84
BP33-20	1 1/4	4	32	89.68
BP33-24	1 1/2	3	24	121.82
BP33-32	2	3	15	198.88
Straight Coupling With Stop				
		Press Fit		BP0-
BP0-08	1/2	10	300	3.68
BP0-12	3/4	10	160	5.59
BP0-16	1	10	120	11.25
BP0-20	1 1/4	4	64	14.50
BP0-24	1 1/2	2	40	26.49
BP0-32	2	2	20	33.79
BP0-40	2 1/2	1	32	107.98
BP0-48	3	1	18	137.50
BP0-64	4	1	12	194.60
BP0-12-08	3/4 X 1/2	10	240	9.60
BP0-16-08	1 X 1/2	10	120	18.29
BP0-16-12	1 X 3/4	10	120	12.01
BP0-20-08	1 1/4 X 1/2	4	72	91.72
BP0-20-12	1 1/4 X 3/4	4	72	28.60
BP0-20-16	1 1/4 X 1	4	72	23.37
BP0-24-08	1 1/2 X 1/2	4	40	95.11
BP0-24-12	1 1/2 X 3/4	4	40	42.23
BP0-24-16	1 1/2 X 1	4	40	40.97
BP0-24-20	1 1/2 X 1 1/4	4	40	44.01
BP0-32-08	2 X 1/2	1	45	129.59
BP0-32-12	2 X 3/4	2	32	48.37
BP0-32-16	2 X 1	2	32	51.17
BP0-32-20	2 X 1 1/4	2	32	50.38
BP0-32-24	2 X 1 1/2	1	32	50.38
BP0-40-16	2 1/2 X 1	1	0	194.34
BP0-40-20	2 1/2 X 1 1/4	1	0	202.07
BP0-40-24	2 1/2 X 1 1/2	1	0	204.17
BP0-40-32	2 1/2 X 2	1	30	205.50
BP0-48-24	3 X 1 1/2	1	24	225.92
BP0-48-32	3 X 2	1	24	226.50
BP0-48-40	3 X 2 1/2	1	24	265.55
BP0-64-32	4 X 2	1	10	281.70
BP0-64-40	4 X 2 1/2	1	10	311.00

BP0-64-48	4 X 3	1	10	342.38
Tee with Female Thread Branch (FPT)				
		Press Fit		BP12-
BP12-08	1/2	8	64	20.49
BP12-12	3/4	7	56	32.34
BP12-20	1 1/4	4	16	111.84
BP12-24	1 1/2	4	16	204.45
BP12-12-12-08	3/4 X 3/4 X 1/2	7	56	29.73
BP12-16-16-08	1 X 1 X 1/2	5	70	38.03
BP12-16-16-12	1 X 1 X 3/4	5	40	44.95
BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1	50	54.39
BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1	50	56.38
BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1	32	69.02
BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1	0	93.37
BP12-32-32-08	2 X 2 X 1/2	1	12	80.65
BP12-32-32-12	2 X 2 X 3/4	1	12	81.74
Tees				
		Press Fit		BPT-
BPT-08	1/2	10	120	6.25
BPT-12	3/4	10	60	10.97
BPT-16	1	4	40	20.14
BPT-20	1 1/4	2	24	34.71
BPT-24	1 1/2	2	16	66.10
BPT-32	2	1	8	81.67
BPT-40	2 1/2	1	10	272.97
BPT-48	3	1	6	334.76
BPT-64	4	1	4	478.74
BPT-08-08-12	1/2 X 1/2 X 3/4	10	80	20.42
BPT-08-08-16	1/2 X 1/2 X 1	10	60	28.89
BPT-12-08-08	3/4 X 1/2 X 1/2	10	70	17.59
BPT-12-08-12	3/4 X 1/2 X 3/4	10	30	18.97
BPT-12-12-08	3/4 X 3/4 X 1/2	10	80	9.60
BPT-12-12-16	3/4 X 3/4 X 1	5	80	32.48
BPT-16-08-12	1 X 1/2 X 3/4	10	60	22.79
BPT-16-08-16	1 X 1/2 X 1	10	40	34.87
BPT-16-12-08	1 X 3/4 X 1/2	10	60	36.83
BPT-16-12-12	1 X 3/4 X 3/4	10	60	32.38
BPT-16-12-16	1 X 3/4 X 1	10	40	32.38
BPT-16-16-08	1 X 1 X 1/2	10	60	23.48
BPT-16-16-12	1 X 1 X 3/4	10	40	22.91
BPT-16-16-20	1 X 1 X 1 1/4	4	28	63.22
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1	40	64.51



CELLO PRODUCTS INC

Tees... Continued

Press x Press x Press	Press Fit	BPT-
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1 40 64.51
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1 50 50.34
BPT-20-12-12	1 1/4 X 3/4 X 3/4	4 28 56.29
BPT-20-12-16	1 1/4 X 3/4 X 1	4 28 58.54
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	4 24 51.79
BPT-20-16-08	1 1/4 X 1 X 1/2	1 45 42.34
BPT-20-16-12	1 1/4 X 1 X 3/4	4 24 38.20
BPT-20-16-16	1 1/4 X 1 X 1	4 24 41.65
BPT-20-16-20	1 1/4 X 1 X 1 1/4	4 24 99.18
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	4 24 30.18
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	4 40 31.74
BPT-20-20-16	1 1/4 X 1 1/4 X 1	4 32 34.25
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	2 16 85.98
BPT-24-16-12	1 1/2 X 1 X 3/4	2 18 90.24
BPT-24-16-16	1 1/2 X 1 X 1	2 18 100.72
BPT-24-16-24	1 1/2 X 1 X 1 1/2	2 16 98.65
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1 25 69.13
BPT-24-20-16	1 1/2 X 1 1/4 X 1	2 16 80.38
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	2 16 66.30
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	4 24 71.72
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	4 24 58.71
BPT-24-24-16	1 1/2 X 1 1/2 X 1	4 24 60.92
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	4 24 65.43
BPT-32-08-32	2 X 1/2 X 2	1 10 136.75
BPT-32-16-16	2 X 1 X 1	1 12 97.11
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1 12 131.75
BPT-32-24-12	2 X 1 1/2 X 3/4	1 12 112.96
BPT-32-24-16	2 X 1 1/2 X 1	1 12 111.50
BPT-32-24-20	2 X 1 1/2 X 1 1/4	1 12 115.18
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1 12 130.78
BPT-32-24-32	2 X 1 1/2 X 2	1 12 108.71
BPT-32-32-08	2 X 2 X 1/2	1 12 113.05
BPT-32-32-12	2 X 2 X 3/4	1 12 95.58
BPT-32-32-16	2 X 2 X 1	1 12 98.77
BPT-32-32-20	2 X 2 X 1 1/4	1 12 100.66
BPT-32-32-24	2 X 2 X 1 1/2	1 12 75.67
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1 0 381.76
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1 0 394.16
BPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1 0 348.85
BPT-40-32-12	2 1/2 X 2 X 3/4	1 0 366.79
BPT-40-32-16	2 1/2 X 2 X 1	1 0 345.36
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1 0 324.30
BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1 18 351.93

BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1 18 373.49
BPT-40-40-16	2 1/2 X 2 1/2 X 1	1 16 373.49
BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1 15 380.68
BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1 12 363.78
BPT-40-40-32	2 1/2 X 2 1/2 X 2	1 10 320.67
BPT-48-12-48	3 X 3/4 X 3	1 0 384.88
BPT-48-16-48	3 X 1 X 3	1 0 407.70
BPT-48-32-32	3 X 2 X 2	1 9 407.39
BPT-48-32-48	3 X 2 X 3	1 0 429.08
BPT-48-40-32	3 X 2 1/2 X 2	1 0 401.28
BPT-48-40-40	3 X 2 1/2 X 2 1/2	1 0 443.15
BPT-48-48-08	3 X 3 X 1/2	1 0 391.17
BPT-48-48-12	3 X 3 X 3/4	1 12 401.18
BPT-48-48-16	3 X 3 X 1	1 12 401.18
BPT-48-48-20	3 X 3 X 1 1/4	1 10 401.18
BPT-48-48-24	3 X 3 X 1 1/2	1 10 401.18
BPT-48-48-32	3 X 3 X 2	1 10 385.13
BPT-48-48-40	3 X 3 X 2 1/2	1 7 424.88
BPT-64-48-48	4 X 3 X 3	1 0 615.23
BPT-64-64-08	4 X 4 X 1/2	1 0 606.32
BPT-64-64-12	4 X 4 X 3/4	1 0 598.23
BPT-64-64-16	4 X 4 X 1	1 8 444.48
BPT-64-64-20	4 X 4 X 1 1/4	1 5 539.77
BPT-64-64-24	4 X 4 X 1 1/2	1 6 502.83
BPT-64-64-32	4 X 4 X 2	1 6 433.34
BPT-64-64-40	4 X 4 X 2 1/2	1 4 412.89
BPT-64-64-48	4 X 4 X 3	1 4 452.62
BPT-64-64-48	4 X 4 X 3	1 4 452.62



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrot*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.