

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrought copper products

C Press Fittings

USA

Price List #12

Effective October 6, 2025

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
150# FLANGES				BP7-40	2 1/2	1 12	315.43
Press x flange	Press Fit	BP41-		BP7-48	3	1 9	396.84
BP41-24	1 1/2	1 10	404.42	BP7-64	4	1 4	490.95
BP41-32	2	1 10	445.64	BP7-12-08	3/4 X 1/2	15 240	13.45
BP41-40	2 1/2	1 5	453.96	BP7-16-12	1 X 3/4	10 70	30.48
BP41-48	3	1 6	583.23	90° Bend with MPT Thread			
BP41-64	4	1 6	652.49	Press x Male Thread (MPT)	Press Fit	BP74-	
45° Elbow				BP74-08	1/2	10 80	31.73
Press x Press	Press Fit	BP6-		BP74-12	3/4	12 96	53.05
BP6-08	1/2	10 240	7.20	BP74-16	1	9 72	74.20
BP6-12	3/4	10 120	8.83	BP74-24	1 1/2	2 16	138.31
BP6-16	1	5 60	28.23	90° Elbow Drop Ear FIP Thread			
BP6-20	1 1/4	4 40	40.47	Press x Female Thread (FPT)	Press Fit	BP735-	
BP6-24	1 1/2	2 24	65.59	BP735-08	1/2	10 80	31.11
BP6-32	2	2 12	90.01	BP735-12	3/4	8 64	61.37
BP6-40	2 1/2	1 16	212.25	90° Elbow with FPT Thread			
BP6-48	3	1 12	297.70	Press x Female Thread (FPT)	Press Fit	BP73-	
BP6-64	4	1 6	421.37	BP73-08	1/2	20 160	21.54
45° Street Elbow				BP73-12	3/4	10 80	34.29
Press x Fitting	Press Fit	BP6-2-		BP73-16	1	7 56	59.54
BP6-2-08	1/2	10 240	5.66	BP73-20	1 1/4	4 32	97.55
BP6-2-12	3/4	10 120	8.40	BP73-24	1 1/2	2 16	128.47
BP6-2-16	1	10 60	27.54	90° Street Elbow			
BP6-2-20	1 1/4	4 40	40.51	Press x Press	Press Fit	BP7-2-	
BP6-2-24	1 1/2	2 20	61.94	BP7-2-08	1/2	10 240	6.18
BP6-2-32	2	2 12	91.81	BP7-2-12	3/4	10 100	10.43
BP6-2-40	2 1/2	1 16	258.63	BP7-2-16	1	5 60	23.98
BP6-2-48	3	1 12	374.82	BP7-2-20	1 1/4	2 36	44.12
BP6-2-64	4	1 6	541.94	BP7-2-24	1 1/2	2 20	81.12
90° Bend				BP7-2-32	2	2 12	111.54
Press x Press	Press Fit	BP7-		BP7-2-40	2 1/2	1 14	353.23
BP7-08	1/2	10 240	5.94	BP7-2-48	3	1 9	410.75
BP7-12	3/4	10 100	10.02	BP7-2-64	4	1 4	523.11
BP7-16	1	5 60	20.11				
BP7-20	1 1/4	2 36	40.53				
BP7-24	1 1/2	2 20	76.64				
BP7-32	2	2 12	106.53				



CELLO #	SIZE	BOX/MC		LIST	CELLO #	SIZE	BOX/MC		LIST		
Cap					BP3-2-08-12	1/8 X 1/2 X 3/4	5	100	30.65		
Press		Press Fit		BP17-	BP3-2-12-08	1/8 X 3/4 X 1/2	25	250	38.11		
					Female Union						
Press x Female Thread (FPT)		Press Fit		BP33-3-							
					BP33-3-08	1/2	12	96	39.01		
BP17-08		1/2	10	600	10.99	BP33-3-12	3/4	10	80	51.00	
BP17-12		3/4	10	300	18.64	BP33-3-16	1	5	40	81.22	
BP17-16		1	10	240	28.43	BP33-3-20	1 1/4	4	32	101.72	
BP17-20		1 1/4	10	120	34.45	BP33-3-24	1 1/2	3	24	145.31	
BP17-24		1 1/2	5	60	53.70	BP33-3-32	2	3	15	215.90	
BP17-32		2	5	40	65.64						
BP17-40		2 1/2	1	40	222.10	Fitting Reducer					
BP17-48		3	1	36	281.16	Press x Fitting		Press Fit		BP02-	
BP17-64		4	1	24	327.78						
Crossover Coupling											
Press x Press		Press Fit		BP36-	BP02-12-08		3/4 X 1/2	10	240	6.30	
					BP02-16-08		1 X 1/2	10	160	18.31	
BP36-08		1/2	10	100	41.19	BP02-16-12		1 X 3/4	10	160	16.73
BP36-12		3/4	10	50	51.95	BP02-20-08		1 1/4 X 1/2	5	180	21.16
Female Adapter					BP02-20-12		1 1/4 X 3/4	4	104	21.76	
Press x Female Pipe Thread (FPT)		Press Fit		BP3-	BP02-20-16		1 1/4 X 1	4	104	22.72	
					BP02-24-08		1 1/2 X 1/2	4	56	61.25	
BP3-08		1/2	25	200	8.77	BP02-24-12		1 1/2 X 3/4	4	56	36.88
BP3-12		3/4	15	120	13.71	BP02-24-16		1 1/2 X 1	4	56	33.35
BP3-16		1	12	96	26.24	BP02-24-20		1 1/2 X 1 1/4	4	56	33.54
BP3-20		1 1/4	8	64	58.92	BP02-32-08		2 X 1/2	2	48	74.00
BP3-24		1 1/2	6	48	82.34	BP02-32-12		2 X 3/4	2	44	73.39
BP3-32		2	3	24	136.41	BP02-32-16		2 X 1	2	40	37.80
BP3-40		2 1/2	1	36	324.05	BP02-32-20		2 X 1 1/4	2	40	46.27
BP3-48		3	1	24	530.71	BP02-32-24		2 X 1 1/2	2	32	44.98
BP3-08-12		1/2 X 3/4	15	120	14.00	BP02-40-16		2 1/2 X 1	1	38	157.93
BP3-12-08		3/4 X 1/2	25	200	14.35	BP02-40-20		2 1/2 X 1 1/4	1	38	206.37
BP3-16-08		1 X 1/2	10	200	43.04	BP02-40-24		2 1/2 X 1 1/2	1	35	232.51
BP3-16-12		1 X 3/4	15	120	44.61	BP02-40-32		2 1/2 X 2	1	35	199.92
BP3-16-20		1 X 1 1/4	8	64	42.93	BP02-48-20		3 X 1 1/4	1	25	246.41
BP3-20-16		1 1/4 X 1	8	64	59.76	BP02-48-24		3 X 1 1/2	1	20	254.33
BP3-20-24		1 1/4 X 1 1/2	6	48	71.10	BP02-48-32		3 X 2	1	20	247.51
BP3-2-08		1/8 X 1/2	25	250	28.08	BP02-48-40		3 X 2 1/2	1	16	254.95
BP3-2-12		1/8 X 3/4	25	250	40.64	BP02-64-32		4 X 2	1	10	284.84
BP3-2-16		1/8 X 1	20	200	63.35	BP02-64-40		4 X 2 1/2	1	10	311.23
BP3-2-20		1/8 X 1 1/4	10	100	112.36	BP02-64-48		4 X 3	1	10	328.94
BP3-2-24		1/8 X 1 1/2	5	100	125.28						
BP3-2-32		1/8 X 2	5	50	212.24						
BP3-24-20		1 1/2 X 1 1/4	6	48	74.37						



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Male Adapter				BP0-NSTOP-16	1	10 120	21.01
Press x Male Pipe Thread (MPT) Press Fit BP4-				BP0-NSTOP-20	1 1/4	4 64	32.82
BP4-08	1/2	25 200	7.02	BP0-NSTOP-24	1 1/2	2 40	50.58
BP4-12	3/4	15 120	12.63	BP0-NSTOP-32	2	2 20	56.90
BP4-16	1	15 120	23.60	BP0-NSTOP-40	2 1/2	1 32	165.61
BP4-20	1 1/4	8 64	51.61	BP0-NSTOP-48	3	1 18	215.52
BP4-24	1 1/2	4 32	72.40	BP0-NSTOP-64	4	1 12	282.76
BP4-32	2	3 24	139.36	Press by Pex (F1960) Adapter			
BP4-40	2 1/2	1 28	321.48	Press x Pex (F1960) Press Fit BPPXX0-			
BP4-48	3	1 18	410.82	BPPXX0-08	1/2	40 320	10.20
BP4-64	4	1 12	499.42	BPPXX0-12	3/4	15 120	13.36
BP4-08-12	1/2 X 3/4	18 144	14.77	BPPXX0-16	1	12 96	19.77
BP4-12-08	3/4 X 1/2	15 120	15.49	Press by Pex Adapter			
BP4-12-16	3/4 X 1	15 120	31.49	Press x Pex Press Fit BPPX0-			
BP4-16-12	1 X 3/4	15 120	38.89	BPPX0-08	1/2	40 320	10.39
BP4-16-20	1 X 1 1/4	9 72	49.33	BPPX0-12	3/4	15 120	12.57
BP4-20-16	1 1/4 X 1	8 64	56.80	BPPX0-16	1	12 96	19.77
BP4-20-24	1 1/4 X 1 1/2	4 32	60.64	Press to Pex Tee			
BP4-2-08	1/8 X 1/2	5 250	25.65	Press x Press x Pex Press Fit BPPXT-			
BP4-2-12	1/8 X 3/4	5 160	42.88	BPPXT-12-12-08	3/4 X 3/4 X 1/2	10 80	31.04
BP4-2-16	1/8 X 1	5 200	64.12	BPPXT-16-16-08	1 X 1 X 1/2	7 56	41.37
BP4-2-20	1/8 X 1 1/4	5 50	85.05	BPPXT-16-16-12	1 X 1 X 3/4	7 56	46.60
BP4-2-24	1/8 X 1 1/2	5 50	126.83	Press x Press Union			
BP4-2-32	1/8 X 2	5 25	186.71	Press Fit BP33-			
BP4-24-20	1 1/2 X 1 1/4	5 40	76.17	BP33-08	1/2	12 96	43.66
BP4-24-32	1 1/2 X 2	3 24	148.94	BP33-12	3/4	10 80	57.24
BP4-32-24	2 X 1 1/2	3 24	134.31	BP33-16	1	5 40	91.43
Male Union				BP33-20	1 1/4	4 32	130.49
Press x Male Thread (MPT) Press Fit BP33-4-				BP33-24	1 1/2	3 24	177.25
BP33-4-08	1/2	12 96	41.17	BP33-32	2	3 15	289.39
BP33-4-12	3/4	10 80	58.82	Straight Coupling With Stop			
BP33-4-16	1	5 40	85.06	Press x Press Press Fit BP0-			
BP33-4-20	1 1/4	4 32	121.86	BP0-08	1/2	10 300	5.37
BP33-4-24	1 1/2	3 24	170.01				
BP33-4-32	2	3 15	215.17				
No Stop Coupling							
Press x Press Press Fit BP0-NSTOP-							
BP0-NSTOP-08	1/2	10 300	12.89				
BP0-NSTOP-12	3/4	10 160	16.22				



Straight Coupling With Stop...Continued				
Press x Press	Press Fit		BP0-	
BP0-12	3/4	10	160	8.12
BP0-16	1	10	120	16.37
BP0-20	1 1/4	4	64	21.10
BP0-24	1 1/2	2	40	38.54
BP0-32	2	2	20	49.17
BP0-40	2 1/2	1	32	157.12
BP0-48	3	1	18	200.08
BP0-64	4	1	12	283.16
BP0-12-08	3/4 X 1/2	10	240	13.96
BP0-16-08	1 X 1/2	10	120	26.61
BP0-16-12	1 X 3/4	10	120	17.48
BP0-20-08	1 1/4 X 1/2	4	72	57.67
BP0-20-12	1 1/4 X 3/4	4	72	41.60
BP0-20-16	1 1/4 X 1	4	72	34.00
BP0-24-08	1 1/2 X 1/2	4	40	61.45
BP0-24-12	1 1/2 X 3/4	4	40	61.45
BP0-24-16	1 1/2 X 1	4	40	59.61
BP0-24-20	1 1/2 X 1 1/4	4	40	64.05
BP0-32-08	2 X 1/2	1	45	188.57
BP0-32-12	2 X 3/4	2	32	70.39
BP0-32-16	2 X 1	2	32	74.46
BP0-32-20	2 X 1 1/4	2	32	73.30
BP0-32-24	2 X 1 1/2	1	32	73.30
BP0-40-16	2 1/2 X 1	1	10	282.78
BP0-40-20	2 1/2 X 1 1/4	1	10	294.02
BP0-40-24	2 1/2 X 1 1/2	1	10	297.10
BP0-40-32	2 1/2 X 2	1	30	299.02
BP0-48-24	3 X 1 1/2	1	24	328.75
BP0-48-32	3 X 2	1	24	329.59
BP0-48-40	3 X 2 1/2	1	24	386.41
BP0-64-32	4 X 2	1	10	409.89
BP0-64-40	4 X 2 1/2	1	10	452.53
BP0-64-48	4 X 3	1	10	498.19
BP0-SLIP-08	1/2	10	100	16.76
BP0-SLIP-12	3/4	10	100	21.41
BP0-SLIP-16	1	10	100	30.65
BP0-SLIP-20	1 1/4	5	50	41.30
BP0-SLIP-24	1 1/2	5	50	65.80
BP0-SLIP-32	2	5	30	86.35
Tee with Female Thread Branch (FPT)				
Press x Press x Female Thread (FPT)	Press Fit		BP12-	

BP12-08	1/2	8	64	29.81
BP12-12	3/4	7	56	47.06
BP12-20	1 1/4	4	16	162.73
BP12-12-12-08	3/4 X 3/4 X 1/2	7	56	43.25
BP12-16-16-08	1 X 1 X 1/2	5	70	55.34
BP12-16-16-12	1 X 1 X 3/4	5	40	65.40
BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1	50	79.14
BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1	50	82.04
BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1	32	100.43
BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1	20	135.87
BP12-32-32-08	2 X 2 X 1/2	1	12	117.36
BP12-32-32-12	2 X 2 X 3/4	1	12	118.94
Tees				
Press x Press x Press	Press Fit		BPT-	
BPT-08	1/2	10	120	9.08
BPT-12	3/4	10	60	15.95
BPT-16	1	4	40	29.30
BPT-20	1 1/4	2	24	50.49
BPT-24	1 1/2	2	16	96.18
BPT-32	2	1	8	118.84
BPT-40	2 1/2	1	10	397.19
BPT-48	3	1	6	487.11
BPT-64	4	1	4	696.61
BPT-08-08-12	1/2 X 1/2 X 3/4	10	80	29.72
BPT-08-08-16	1/2 X 1/2 X 1	10	60	42.04
BPT-12-08-08	3/4 X 1/2 X 1/2	10	70	25.59
BPT-12-08-12	3/4 X 1/2 X 3/4	10	30	27.60
BPT-12-12-08	3/4 X 3/4 X 1/2	10	80	13.96
BPT-12-12-16	3/4 X 3/4 X 1	5	80	47.25
BPT-16-08-12	1 X 1/2 X 3/4	10	60	33.17
BPT-16-08-16	1 X 1/2 X 1	10	40	50.73
BPT-16-12-08	1 X 3/4 X 1/2	10	60	53.59
BPT-16-12-12	1 X 3/4 X 3/4	10	60	47.12
BPT-16-12-16	1 X 3/4 X 1	10	40	47.12
BPT-16-16-08	1 X 1 X 1/2	10	60	34.17
BPT-16-16-12	1 X 1 X 3/4	10	40	33.35
BPT-16-16-20	1 X 1 X 1 1/4	4	28	91.98
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1	40	93.87
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1	50	73.24
BPT-20-12-12	1 1/4 X 3/4 X 3/4	4	28	81.92
BPT-20-12-16	1 1/4 X 3/4 X 1	4	28	85.18
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	4	24	75.37
BPT-20-16-08	1 1/4 X 1 X 1/2	1	45	61.60
BPT-20-16-12	1 1/4 X 1 X 3/4	4	24	55.58

**Tees...Continued**

Press x Press x Press		Press Fit		BPT-
BPT-20-12-16	1 1/4 X 3/4 X 1	4	28	85.18
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	4	24	75.37
BPT-20-16-08	1 1/4 X 1 X 1/2	1	45	61.60
BPT-20-16-12	1 1/4 X 1 X 3/4	4	24	55.58
BPT-20-16-16	1 1/4 X 1 X 1	4	24	60.60
BPT-20-16-20	1 1/4 X 1 X 1 1/4	4	24	144.33
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	4	24	43.93
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	4	40	46.18
BPT-20-20-16	1 1/4 X 1 1/4 X 1	4	32	49.84
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	2	16	125.10
BPT-24-16-12	1 1/2 X 1 X 3/4	2	18	131.31
BPT-24-16-16	1 1/2 X 1 X 1	2	18	146.55
BPT-24-16-24	1 1/2 X 1 X 1 1/2	2	16	143.54
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1	25	100.59
BPT-24-20-16	1 1/2 X 1 1/4 X 1	2	16	116.96
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	2	16	96.48
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	4	24	104.35
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	4	24	85.42
BPT-24-24-16	1 1/2 X 1 1/2 X 1	4	24	88.65
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	4	24	95.20
BPT-32-08-32	2 X 1/2 X 2	1	10	198.99
BPT-32-12-32	2 X 3/4 X 2	1	10	191.11
BPT-32-16-16	2 X 1 X 1	1	12	141.30
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1	12	191.71
BPT-32-24-16	2 X 1 1/2 X 1	1	12	162.25
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1	12	190.31
BPT-32-24-32	2 X 1 1/2 X 2	1	12	158.18
BPT-32-32-08	2 X 2 X 1/2	1	12	164.51
BPT-32-32-12	2 X 2 X 3/4	1	12	139.07
BPT-32-32-16	2 X 2 X 1	1	12	143.72
BPT-32-32-20	2 X 2 X 1 1/4	1	12	146.48
BPT-32-32-24	2 X 2 X 1 1/2	1	12	110.11
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1	12	555.51
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1	12	573.54
BPT-40-32-16	2 1/2 X 2 X 1	1	12	502.53
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1	10	471.89
BPT-40-32-32	2 1/2 X 2 X 2	1	10	464.33
BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1	18	512.10
BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1	18	543.47
BPT-40-40-16	2 1/2 X 2 1/2 X 1	1	16	543.47
BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1	15	553.94
BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1	12	529.35
BPT-40-40-32	2 1/2 X 2 1/2 X 2	1	10	466.61

BPT-48-32-32	3 X 2 X 2	1	9	592.80
BPT-48-48-08	3 X 3 X 1/2	1	12	569.19
BPT-48-48-12	3 X 3 X 3/4	1	12	583.76
BPT-48-48-16	3 X 3 X 1	1	12	583.76
BPT-48-48-20	3 X 3 X 1 1/4	1	10	583.76
BPT-48-48-24	3 X 3 X 1 1/2	1	10	583.76
BPT-48-48-32	3 X 3 X 2	1	10	560.40
BPT-48-48-40	3 X 3 X 2 1/2	1	7	618.24
BPT-64-64-08	4 X 4 X 1/2	1	8	882.25
BPT-64-64-12	4 X 4 X 3/4	1	8	870.48
BPT-64-64-16	4 X 4 X 1	1	8	646.76
BPT-64-64-20	4 X 4 X 1 1/4	1	5	785.42
BPT-64-64-24	4 X 4 X 1 1/2	1	6	731.66
BPT-64-64-32	4 X 4 X 2	1	6	630.55
BPT-64-64-40	4 X 4 X 2 1/2	1	4	600.80
BPT-64-64-48	4 X 4 X 3	1	4	658.60
BPT-64-64-48	4 X 4 X 3	1	4	658.60



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taking in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.