

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

N S F 61*

* wrought copper products

C Press Fittings

USA

Price List #11

Effective May 30, 2025

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
150# FLANGES				BP7-32	2	2 12	88.42
Press x flange	Press Fit	BP41-		BP7-40	2 1/2	1 12	261.81
BP41-20	1 1/4	1 10	313.96	BP7-48	3	1 9	329.38
BP41-24	1 1/2	1 10	335.67	BP7-64	4	1 4	407.49
BP41-32	2	1 10	369.88	BP7-12-08	3/4 X 1/2	15 240	11.16
BP41-40	2 1/2	1 5	376.79	BP7-16-12	1 X 3/4	10 70	25.30
BP41-48	3	1 6	484.08	90° Bend with MPT Thread			
BP41-64	4	1 6	541.57	Press x Male Thread (MPT)	Press Fit	BP74-	
45° Elbow				BP74-08	1/2	10 80	26.34
Press x Press	Press Fit	BP6-		BP74-12	3/4	12 96	44.03
BP6-08	1/2	10 240	5.98	BP74-16	1	9 72	61.59
BP6-12	3/4	10 120	7.33	BP74-20	1 1/4	4 32	86.00
BP6-16	1	5 60	23.43	BP74-24	1 1/2	2 16	114.80
BP6-20	1 1/4	4 40	33.59	90° Elbow Drop Ear FIP Thread			
BP6-24	1 1/2	2 24	54.44	Press x Female Thread (FPT)	Press Fit	BP735-	
BP6-32	2	2 12	74.71	BP735-08	1/2	10 80	25.82
BP6-40	2 1/2	1 16	176.17	BP735-12	3/4	8 64	50.94
BP6-48	3	1 12	247.09	90° Elbow with FPT Thread			
BP6-64	4	1 6	349.74	Press x Female Thread (FPT)	Press Fit	BP73-	
45° Street Elbow				BP73-08	1/2	20 160	17.88
Press x Fitting	Press Fit	BP6-2-		BP73-12	3/4	10 80	28.46
BP6-2-08	1/2	10 240	4.70	BP73-16	1	7 56	49.42
BP6-2-12	3/4	10 120	6.97	BP73-20	1 1/4	4 32	80.97
BP6-2-16	1	10 60	22.86	BP73-24	1 1/2	2 16	106.63
BP6-2-20	1 1/4	4 40	33.62	90° Street Elbow			
BP6-2-24	1 1/2	2 20	51.41	Press x Press	Press Fit	BP7-2-	
BP6-2-32	2	2 12	76.20	BP7-2-08	1/2	10 240	5.13
BP6-2-40	2 1/2	1 16	214.66	BP7-2-12	3/4	10 100	8.66
BP6-2-48	3	1 12	311.10	BP7-2-16	1	5 60	19.90
BP6-2-64	4	1 6	449.81	BP7-2-20	1 1/4	2 36	36.62
90° Bend				BP7-2-24	1 1/2	2 20	67.33
Press x Press	Press Fit	BP7-		BP7-2-32	2	2 12	92.58
BP7-08	1/2	10 240	4.93	BP7-2-40	2 1/2	1 14	293.18
BP7-12	3/4	10 100	8.32	BP7-2-48	3	1 9	340.92
BP7-16	1	5 60	16.69				
BP7-20	1 1/4	2 36	33.64				
BP7-24	1 1/2	2 20	63.61				



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
90° Street Elbow...Continued				BP3-2-16	1/8 X 1	20 200	52.58
Press x Press Press Fit BP7-2-				BP3-2-20	1/8 X 1 1/4	10 100	93.26
BP7-2-64	4	1 4	434.18	BP3-2-24	1/8 X 1 1/2	5 100	103.98
Cap				BP3-2-32	1/8 X 2	5 50	176.16
Press Press Fit BP17-				BP3-24-20	1 1/2 X 1 1/4	6 48	61.73
BP17-08	1/2	10 600	9.12	BP3-2-08-12	1/8 X 1/2 X 3/4	5 100	25.44
BP17-12	3/4	10 300	15.47	BP3-2-12-08	1/8 X 3/4 X 1/2	25 250	31.63
BP17-16	1	10 240	23.60	Female Union			
BP17-20	1 1/4	10 120	28.59	Press x Female Thread (FPT) Press Fit BP33-3-			
BP17-24	1 1/2	5 60	44.57	BP33-3-08	1/2	12 96	32.38
BP17-32	2	5 40	54.48	BP33-3-12	3/4	10 80	42.33
BP17-40	2 1/2	1 40	184.34	BP33-3-16	1	5 40	67.41
BP17-48	3	1 36	233.36	BP33-3-20	1 1/4	4 32	84.43
BP17-64	4	1 24	272.06	BP33-3-24	1 1/2	3 24	120.61
Crossover Coupling				BP33-3-32	2	3 15	179.20
Press x Press Press Fit BP36-				Fitting Reducer			
BP36-08	1/2	10 100	34.19	Press x Fitting Press Fit BP02-			
BP36-12	3/4	10 50	43.12	BP02-12-08	3/4 X 1/2	10 240	5.23
Female Adapter				BP02-16-08	1 X 1/2	10 160	15.20
Press x Female Pipe Thread (FPT) Press Fit BP3-				BP02-16-12	1 X 3/4	10 160	13.89
BP3-08	1/2	25 200	7.28	BP02-20-08	1 1/4 X 1/2	5 180	17.56
BP3-12	3/4	15 120	11.38	BP02-20-12	1 1/4 X 3/4	4 104	18.06
BP3-16	1	12 96	21.78	BP02-20-16	1 1/4 X 1	4 104	18.86
BP3-20	1 1/4	8 64	48.90	BP02-24-08	1 1/2 X 1/2	4 56	50.84
BP3-24	1 1/2	6 48	68.34	BP02-24-12	1 1/2 X 3/4	4 56	30.61
BP3-32	2	3 24	113.22	BP02-24-16	1 1/2 X 1	4 56	27.68
BP3-40	2 1/2	1 36	268.96	BP02-24-20	1 1/2 X 1 1/4	4 56	27.84
BP3-48	3	1 24	440.49	BP02-32-08	2 X 1/2	2 48	61.42
BP3-08-12	1/2 X 3/4	15 120	11.62	BP02-32-12	2 X 3/4	2 44	60.91
BP3-12-08	3/4 X 1/2	25 200	11.91	BP02-32-16	2 X 1	2 40	31.37
BP3-16-08	1 X 1/2	10 200	35.72	BP02-32-20	2 X 1 1/4	2 40	38.40
BP3-16-12	1 X 3/4	15 120	37.03	BP02-32-24	2 X 1 1/2	2 32	37.33
BP3-16-20	1 X 1 1/4	8 64	35.63	BP02-40-16	2 1/2 X 1	1 38	131.08
BP3-20-16	1 1/4 X 1	8 64	49.60	BP02-40-20	2 1/2 X 1 1/4	1 38	171.29
BP3-20-24	1 1/4 X 1 1/2	6 48	59.01	BP02-40-24	2 1/2 X 1 1/2	1 35	192.98
BP3-2-08	1/8 X 1/2	25 250	23.31	BP02-40-32	2 1/2 X 2	1 35	165.93
BP3-2-12	1/8 X 3/4	25 250	33.73	BP02-48-20	3 X 1 1/4	1 25	204.52
				BP02-48-24	3 X 1 1/2	1 20	211.09
				BP02-48-32	3 X 2	1 20	205.43
				BP02-48-40	3 X 2 1/2	1 16	211.61
				BP02-64-32	4 X 2	1 10	236.42



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
Fitting Reducer...Continued				BP33-4-32	2	3 15	178.59
Press x Fitting	Press Fit	BP02-		No Stop Coupling			
BP02-64-40	4 X 2 1/2	1 10	258.32	Press x Press	Press Fit	BP0-NSTOP-	
BP02-64-48	4 X 3	1 10	273.02	BP0-NSTOP-08	1/2	10 300	10.70
Male Adapter				BP0-NSTOP-12	3/4	10 160	13.46
Press x Male Pipe Thread (MPT)	Press Fit	BP4-		BP0-NSTOP-16	1	10 120	17.44
BP4-08	1/2	25 200	5.83	BP0-NSTOP-20	1 1/4	4 64	27.24
BP4-12	3/4	15 120	10.48	BP0-NSTOP-24	1 1/2	2 40	41.98
BP4-16	1	15 120	19.59	BP0-NSTOP-32	2	2 20	47.23
BP4-20	1 1/4	8 64	42.84	BP0-NSTOP-40	2 1/2	1 32	137.46
BP4-24	1 1/2	4 32	60.09	BP0-NSTOP-48	3	1 18	178.88
BP4-32	2	3 24	115.67	BP0-NSTOP-64	4	1 12	234.69
BP4-40	2 1/2	1 28	266.83	Press by Pex (F1960) Adapter			
BP4-48	3	1 18	340.98	Press x Pex (F1960)	Press Fit	BPPXX0-	
BP4-64	4	1 12	414.52	BPPXX0-08	1/2	40 320	8.47
BP4-08-12	1/2 X 3/4	18 144	12.26	BPPXX0-12	3/4	15 120	11.09
BP4-12-08	3/4 X 1/2	15 120	12.86	BPPXX0-16	1	12 96	16.41
BP4-12-16	3/4 X 1	15 120	26.14	Press by Pex Adapter			
BP4-16-12	1 X 3/4	15 120	32.28	Press x Pex	Press Fit	BPPX0-	
BP4-16-20	1 X 1 1/4	9 72	40.94	BPPX0-08	1/2	40 320	8.62
BP4-20-16	1 1/4 X 1	8 64	47.14	BPPX0-12	3/4	15 120	10.43
BP4-20-24	1 1/4 X 1 1/2	4 32	50.33	BPPX0-16	1	12 96	16.41
BP4-2-08	1/8 X 1/2	5 250	21.29	Press to Pex Tee			
BP4-2-12	1/8 X 3/4	5 160	35.59	Press x Press x Pex	Press Fit	BPPXT-	
BP4-2-16	1/8 X 1	5 200	53.22	BPPXT-12-12-08	3/4 X 3/4 X 1/2	10 80	25.76
BP4-2-20	1/8 X 1 1/4	5 50	70.59	BPPXT-16-16-08	1 X 1 X 1/2	7 56	34.34
BP4-2-24	1/8 X 1 1/2	5 75	105.27	BPPXT-16-16-12	1 X 1 X 3/4	7 56	38.68
BP4-2-32	1/8 X 2	5 25	154.97	Press x Press Union			
BP4-24-20	1 1/2 X 1 1/4	5 40	63.22		Press Fit	BP33-	
BP4-24-32	1 1/2 X 2	3 24	123.62	BP33-08	1/2	12 96	36.24
BP4-32-24	2 X 1 1/2	3 24	111.48	BP33-12	3/4	10 80	47.51
Male Union				BP33-16	1	5 40	75.89
Press x Male Thread (MPT)	Press Fit	BP33-4-		BP33-20	1 1/4	4 32	108.31
BP33-4-08	1/2	12 96	34.17				
BP33-4-12	3/4	10 80	48.82				
BP33-4-16	1	5 40	70.60				
BP33-4-20	1 1/4	4 32	101.14				
BP33-4-24	1 1/2	3 24	141.11				



Press x Press Union...Continued				
Press Fit			BP33-	
BP33-24	1 1/2	3	24	147.12
BP33-32	2	3	15	240.19
Straight Coupling With Stop				
Press x Press			Press Fit BP0-	
BP0-08	1/2	10	300	4.46
BP0-12	3/4	10	160	6.74
BP0-16	1	10	120	13.59
BP0-20	1 1/4	4	64	17.51
BP0-24	1 1/2	2	40	31.99
BP0-32	2	2	20	40.81
BP0-40	2 1/2	1	32	130.41
BP0-48	3	1	18	166.07
BP0-64	4	1	12	235.02
BP0-12-08	3/4 X 1/2	10	240	11.59
BP0-16-08	1 X 1/2	10	120	22.09
BP0-16-12	1 X 3/4	10	120	14.51
BP0-20-08	1 1/4 X 1/2	4	72	47.87
BP0-20-12	1 1/4 X 3/4	4	72	34.53
BP0-20-16	1 1/4 X 1	4	72	28.22
BP0-24-08	1 1/2 X 1/2	4	40	51.00
BP0-24-12	1 1/2 X 3/4	4	40	51.00
BP0-24-16	1 1/2 X 1	4	40	49.48
BP0-24-20	1 1/2 X 1 1/4	4	40	53.16
BP0-32-08	2 X 1/2	1	45	156.51
BP0-32-12	2 X 3/4	2	32	58.42
BP0-32-16	2 X 1	2	32	61.80
BP0-32-20	2 X 1 1/4	2	32	60.84
BP0-32-24	2 X 1 1/2	1	32	60.84
BP0-40-16	2 1/2 X 1	1	10	234.71
BP0-40-20	2 1/2 X 1 1/4	1	10	244.04
BP0-40-24	2 1/2 X 1 1/2	1	10	246.59
BP0-40-32	2 1/2 X 2	1	30	248.19
BP0-48-24	3 X 1 1/2	1	24	272.86
BP0-48-32	3 X 2	1	24	273.56
BP0-48-40	3 X 2 1/2	1	24	320.72
BP0-64-32	4 X 2	1	10	340.21
BP0-64-40	4 X 2 1/2	1	10	375.60
BP0-64-48	4 X 3	1	10	413.50
BP0-SLIP-08	1/2	10	100	13.91
BP0-SLIP-12	3/4	10	100	17.77
BP0-SLIP-16	1	10	100	25.44

BP0-SLIP-20	1 1/4	5	50	34.28
BP0-SLIP-24	1 1/2	5	50	54.61
BP0-SLIP-32	2	5	30	71.67
Tee with Female Thread Branch (FPT)				
Press x Press x Female Thread (FPT)			Press Fit BP12-	
BP12-08	1/2	8	64	24.74
BP12-12	3/4	7	56	39.06
BP12-20	1 1/4	4	16	135.07
BP12-12-12-08	3/4 X 3/4 X 1/2	7	56	35.90
BP12-16-16-08	1 X 1 X 1/2	5	70	45.93
BP12-16-16-12	1 X 1 X 3/4	5	40	54.28
BP12-20-20-08	1 1/4 X 1 1/4 X 1/2	1	50	65.69
BP12-20-20-12	1 1/4 X 1 1/4 X 3/4	1	50	68.09
BP12-24-24-08	1 1/2 X 1 1/2 X 1/2	1	32	83.36
BP12-24-24-12	1 1/2 X 1 1/2 X 3/4	1	20	112.77
BP12-32-32-08	2 X 2 X 1/2	1	12	97.41
BP12-32-32-12	2 X 2 X 3/4	1	12	98.72
Tees				
Press x Press x Press			Press Fit BPT-	
BPT-08	1/2	10	120	7.54
BPT-12	3/4	10	60	13.24
BPT-16	1	4	40	24.32
BPT-20	1 1/4	2	24	41.91
BPT-24	1 1/2	2	16	79.83
BPT-32	2	1	8	98.64
BPT-40	2 1/2	1	10	329.67
BPT-48	3	1	6	404.30
BPT-64	4	1	4	578.19
BPT-08-08-12	1/2 X 1/2 X 3/4	10	80	24.67
BPT-08-08-16	1/2 X 1/2 X 1	10	60	34.89
BPT-12-08-08	3/4 X 1/2 X 1/2	10	70	21.24
BPT-12-08-12	3/4 X 1/2 X 3/4	10	30	22.91
BPT-12-12-08	3/4 X 3/4 X 1/2	10	80	11.59
BPT-12-12-16	3/4 X 3/4 X 1	5	80	39.22
BPT-16-08-12	1 X 1/2 X 3/4	10	60	27.53
BPT-16-08-16	1 X 1/2 X 1	10	40	42.11
BPT-16-12-08	1 X 3/4 X 1/2	10	60	44.48
BPT-16-12-12	1 X 3/4 X 3/4	10	60	39.11
BPT-16-12-16	1 X 3/4 X 1	10	40	39.11
BPT-16-16-08	1 X 1 X 1/2	10	60	28.36
BPT-16-16-12	1 X 1 X 3/4	10	40	27.68
BPT-16-16-20	1 X 1 X 1 1/4	4	28	76.34



Tees...Continued									
Press x Press x Press		Press Fit		BPT-					
BPT-16-16-12	1 X 1 X 3/4	10	40	27.68	BPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1	18	425.04
BPT-16-16-20	1 X 1 X 1 1/4	4	28	76.34	BPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1	18	451.08
BPT-20-08-20	1 1/4 X 1/2 X 1 1/4	1	40	77.91	BPT-40-40-16	2 1/2 X 2 1/2 X 1	1	16	451.08
BPT-20-12-08	1 1/4 X 3/4 X 1/2	1	50	60.79	BPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1	15	459.77
BPT-20-12-12	1 1/4 X 3/4 X 3/4	4	28	67.99	BPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1	12	439.36
BPT-20-12-16	1 1/4 X 3/4 X 1	4	28	70.70	BPT-40-40-32	2 1/2 X 2 1/2 X 2	1	10	387.29
BPT-20-12-20	1 1/4 X 3/4 X 1 1/4	4	24	62.56	BPT-48-32-32	3 X 2 X 2	1	9	492.02
BPT-20-16-08	1 1/4 X 1 X 1/2	1	45	51.13	BPT-48-48-08	3 X 3 X 1/2	1	12	472.43
BPT-20-16-12	1 1/4 X 1 X 3/4	4	24	46.13	BPT-48-48-12	3 X 3 X 3/4	1	12	484.52
BPT-20-16-16	1 1/4 X 1 X 1	4	24	50.30	BPT-48-48-16	3 X 3 X 1	1	12	484.52
BPT-20-16-20	1 1/4 X 1 X 1 1/4	4	24	119.79	BPT-48-48-20	3 X 3 X 1 1/4	1	10	484.52
BPT-20-20-08	1 1/4 X 1 1/4 X 1/2	4	24	36.46	BPT-48-48-24	3 X 3 X 1 1/2	1	10	484.52
BPT-20-20-12	1 1/4 X 1 1/4 X 3/4	4	40	38.33	BPT-48-48-32	3 X 3 X 2	1	10	465.13
BPT-20-20-16	1 1/4 X 1 1/4 X 1	4	32	41.37	BPT-48-48-40	3 X 3 X 2 1/2	1	7	513.14
BPT-24-08-24	1 1/2 X 1/2 X 1 1/2	2	16	103.83	BPT-64-64-08	4 X 4 X 1/2	1	8	732.27
BPT-24-16-12	1 1/2 X 1 X 3/4	2	18	108.99	BPT-64-64-12	4 X 4 X 3/4	1	8	722.50
BPT-24-16-16	1 1/2 X 1 X 1	2	18	121.64	BPT-64-64-16	4 X 4 X 1	1	8	536.81
BPT-24-16-24	1 1/2 X 1 X 1 1/2	2	16	119.14	BPT-64-64-20	4 X 4 X 1 1/4	1	5	651.90
BPT-24-20-12	1 1/2 X 1 1/4 X 3/4	1	25	83.49	BPT-64-64-24	4 X 4 X 1 1/2	1	6	607.28
BPT-24-20-16	1 1/2 X 1 1/4 X 1	2	16	97.08	BPT-64-64-32	4 X 4 X 2	1	6	523.36
BPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	2	16	80.08	BPT-64-64-40	4 X 4 X 2 1/2	1	4	498.66
BPT-24-24-08	1 1/2 X 1 1/2 X 1/2	4	24	86.61	BPT-64-64-48	4 X 4 X 3	1	4	546.64
BPT-24-24-12	1 1/2 X 1 1/2 X 3/4	4	24	70.90	BPT-64-64-48	4 X 4 X 3	1	4	546.64
BPT-24-24-16	1 1/2 X 1 1/2 X 1	4	24	73.58					
BPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	4	24	79.02					
BPT-32-08-32	2 X 1/2 X 2	1	10	165.16					
BPT-32-12-32	2 X 3/4 X 2	1	10	158.62					
BPT-32-16-16	2 X 1 X 1	1	12	117.28					
BPT-32-20-20	2 X 1 1/4 X 1 1/4	1	12	159.12					
BPT-32-24-16	2 X 1 1/2 X 1	1	12	134.67					
BPT-32-24-24	2 X 1 1/2 X 1 1/2	1	12	157.96					
BPT-32-24-32	2 X 1 1/2 X 2	1	12	131.29					
BPT-32-32-08	2 X 2 X 1/2	1	12	136.54					
BPT-32-32-12	2 X 2 X 3/4	1	12	115.43					
BPT-32-32-16	2 X 2 X 1	1	12	119.29					
BPT-32-32-20	2 X 2 X 1 1/4	1	12	121.58					
BPT-32-32-24	2 X 2 X 1 1/2	1	12	91.39					
BPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1	12	461.07					
BPT-40-16-40	2 1/2 X 1 X 2 1/2	1	12	476.04					
BPT-40-32-12	2 1/2 X 2 X 3/4	1	12	442.99					
BPT-40-32-16	2 1/2 X 2 X 1	1	12	417.10					
BPT-40-32-24	2 1/2 X 2 X 1 1/2	1	10	391.67					
BPT-40-32-32	2 1/2 X 2 X 2	1	10	385.39					



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrought*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taking in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.