

CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61*

* wrought copper products

Threaded Brass Nipples

USA

Price List #17

Effective October 3, 2022

PRICE LIST

CANADA

210 Avenue Road
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150
Fax: (519) 621-4108
Customer Service: 1-800-265-7882
e-mail:
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:
flongenecker@celloproducts.com



| THREADED BRASS NIPPLE | | | | |
|-----------------------|-------------|----------|-----|--------|
| | | Threaded | | TBN |
| TBN-02-24 | 1/8 X 1 1/2 | 25 | 600 | 10.25 |
| TBN-02-32 | 1/8 X 2 | 25 | 200 | 11.02 |
| TBN-02-40 | 1/8 X 2 1/2 | 25 | 450 | 12.47 |
| TBN-02-48 | 1/8 X 3 | | 600 | 13.48 |
| TBN-02-56 | 1/8 X 3 1/2 | | 450 | 14.56 |
| TBN-02-64 | 1/8 X 4 | 25 | 450 | 16.35 |
| TBN-02-72 | 1/8 X 4 1/2 | 25 | 200 | 18.49 |
| TBN-02-80 | 1/8 X 5 | 25 | 200 | 20.02 |
| TBN-02-88 | 1/8 X 5 1/2 | 25 | 50 | 21.62 |
| TBN-02-96 | 1/8 X 6 | 25 | 200 | 23.18 |
| TBN-04-24 | 1/4 X 1 1/2 | 25 | 600 | 12.29 |
| TBN-04-32 | 1/4 X 2 | 25 | 600 | 13.91 |
| TBN-04-40 | 1/4 X 2 1/2 | 25 | 200 | 15.07 |
| TBN-04-48 | 1/4 X 3 | 25 | 450 | 17.69 |
| TBN-04-56 | 1/4 X 3 1/2 | 25 | 300 | 19.25 |
| TBN-04-64 | 1/4 X 4 | 25 | 300 | 22.63 |
| TBN-04-72 | 1/4 X 4 1/2 | 25 | 300 | 24.56 |
| TBN-04-80 | 1/4 X 5 | 25 | 200 | 26.78 |
| TBN-04-88 | 1/4 X 5 1/2 | 25 | 300 | 29.03 |
| TBN-04-96 | 1/4 X 6 | 25 | 200 | 32.64 |
| TBN-06-24 | 3/8 X 1 1/2 | 25 | 600 | 13.03 |
| TBN-06-32 | 3/8 X 2 | 25 | 300 | 15.82 |
| TBN-06-40 | 3/8 X 2 1/2 | 25 | 450 | 17.15 |
| TBN-06-48 | 3/8 X 3 | 25 | 400 | 20.98 |
| TBN-06-56 | 3/8 X 3 1/2 | 25 | 300 | 22.63 |
| TBN-06-64 | 3/8 X 4 | 25 | 200 | 26.93 |
| TBN-06-72 | 3/8 X 4 1/2 | 25 | 150 | 28.68 |
| TBN-06-80 | 3/8 X 5 | 25 | 200 | 31.45 |
| TBN-06-88 | 3/8 X 5 1/2 | 25 | 200 | 34.18 |
| TBN-06-96 | 3/8 X 6 | 25 | 300 | 36.98 |
| TBN-08-128 | 1/2 X 8 | | 75 | 68.88 |
| TBN-08-160 | 1/2 X 10 | 5 | 50 | 84.53 |
| TBN-08-176 | 1/2 X 11 | 10 | 50 | 92.49 |
| TBN-08-192 | 1/2 X 12 | 5 | 50 | 100.57 |
| TBN-08-24 | 1/2 X 1 1/2 | 25 | 300 | 16.99 |
| TBN-08-32 | 1/2 X 2 | 25 | 300 | 19.96 |
| TBN-08-40 | 1/2 X 2 1/2 | 25 | 300 | 23.74 |
| TBN-08-48 | 1/2 X 3 | 25 | 200 | 27.87 |
| TBN-08-56 | 1/2 X 3 1/2 | 10 | 150 | 31.81 |
| TBN-08-64 | 1/2 X 4 | 10 | 125 | 36.44 |
| TBN-08-72 | 1/2 X 4 1/2 | 25 | 150 | 39.56 |
| TBN-08-80 | 1/2 X 5 | 10 | 100 | 43.58 |
| TBN-08-88 | 1/2 X 5 1/2 | 25 | 100 | 47.86 |

| | | | | |
|------------|---------------|----|-----|--------|
| TBN-08-96 | 1/2 X 6 | 25 | 100 | 53.06 |
| TBN-12-128 | 3/4 X 8 | 5 | 50 | 89.60 |
| TBN-12-160 | 3/4 X 10 | 1 | 50 | 109.36 |
| TBN-12-192 | 3/4 X 12 | 5 | 30 | 130.13 |
| TBN-12-24 | 3/4 X 1 1/2 | 25 | 300 | 22.55 |
| TBN-12-32 | 3/4 X 2 | 10 | 200 | 26.64 |
| TBN-12-40 | 3/4 X 2 1/2 | 25 | 200 | 30.89 |
| TBN-12-48 | 3/4 X 3 | 25 | 150 | 35.63 |
| TBN-12-56 | 3/4 X 3 1/2 | 5 | 100 | 39.99 |
| TBN-12-64 | 3/4 X 4 | 25 | 100 | 46.48 |
| TBN-12-72 | 3/4 X 4 1/2 | 25 | 100 | 50.56 |
| TBN-12-80 | 3/4 X 5 | 25 | 100 | 55.81 |
| TBN-12-88 | 3/4 X 5 1/2 | 10 | 100 | 60.99 |
| TBN-12-96 | 3/4 X 6 | 10 | 75 | 67.90 |
| TBN-16-128 | 1 X 8 | 1 | 25 | 132.19 |
| TBN-16-160 | 1 X 10 | 1 | 25 | 163.61 |
| TBN-16-192 | 1 X 12 | 1 | 28 | 195.11 |
| TBN-16-32 | 1 X 2 | 25 | 150 | 38.48 |
| TBN-16-40 | 1 X 2 1/2 | 10 | 150 | 44.90 |
| TBN-16-48 | 1 X 3 | 10 | 100 | 51.70 |
| TBN-16-56 | 1 X 3 1/2 | 5 | 50 | 59.85 |
| TBN-16-64 | 1 X 4 | 10 | 75 | 67.32 |
| TBN-16-72 | 1 X 4 1/2 | 10 | 100 | 75.07 |
| TBN-16-80 | 1 X 5 | 5 | 50 | 83.03 |
| TBN-16-88 | 1 X 5 1/2 | 25 | 50 | 90.95 |
| TBN-16-96 | 1 X 6 | 5 | 50 | 99.14 |
| TBN-20-128 | 1 1/4 X 8 | 5 | 30 | 184.72 |
| TBN-20-192 | 1 1/4 X 12 | 5 | 25 | 273.22 |
| TBN-20-32 | 1 1/4 X 2 | 5 | 90 | 53.75 |
| TBN-20-40 | 1 1/4 X 2 1/2 | 5 | 75 | 60.79 |
| TBN-20-48 | 1 1/4 X 3 | 5 | 60 | 71.94 |
| TBN-20-56 | 1 1/4 X 3 1/2 | 5 | 60 | 84.17 |
| TBN-20-64 | 1 1/4 X 4 | 5 | 40 | 94.73 |
| TBN-20-72 | 1 1/4 X 4 1/2 | 5 | 40 | 104.91 |
| TBN-20-80 | 1 1/4 X 5 | 5 | 40 | 115.68 |
| TBN-20-88 | 1 1/4 X 5 1/2 | 5 | 40 | 126.56 |
| TBN-20-96 | 1 1/4 X 6 | 5 | 30 | 138.21 |
| TBN-24-128 | 1 1/2 X 8 | 1 | 15 | 231.63 |
| TBN-24-192 | 1 1/2 X 12 | 1 | 10 | 342.33 |
| TBN-24-32 | 1 1/2 X 2 | 5 | 60 | 65.85 |
| TBN-24-40 | 1 1/2 X 2 1/2 | 45 | | 78.89 |
| TBN-24-48 | 1 1/2 X 3 | | 80 | 90.65 |
| TBN-24-56 | 1 1/2 X 3 1/2 | | 30 | 104.10 |
| TBN-24-64 | 1 1/2 X 4 | 5 | 45 | 118.08 |
| TBN-24-72 | 1 1/2 X 4 1/2 | | 40 | 132.69 |
| TBN-24-80 | 1 1/2 X 5 | 1 | 20 | 146.81 |



| THREADED BRASS NIPPLE...Continued | | | | |
|-----------------------------------|---------------|----------|------|--------|
| | | Threaded | TBN- | |
| TBN-24-72 | 1 1/2 X 4 1/2 | | 40 | 132.69 |
| TBN-24-80 | 1 1/2 X 5 | 1 | 20 | 146.81 |
| TBN-24-88 | 1 1/2 X 5 1/2 | 1 | 40 | 160.61 |
| TBN-24-96 | 1 1/2 X 6 | 5 | 20 | 174.45 |
| TBN-32-128 | 2 X 8 | 1 | 15 | 299.18 |
| TBN-32-160 | 2 X 10 | 1 | 15 | 370.55 |
| TBN-32-192 | 2 X 12 | 1 | 6 | 441.94 |
| TBN-32-40 | 2 X 2 1/2 | 5 | 40 | 100.64 |
| TBN-32-48 | 2 X 3 | 1 | 40 | 116.12 |
| TBN-32-56 | 2 X 3 1/2 | 1 | 30 | 133.67 |
| TBN-32-64 | 2 X 4 | 1 | 30 | 151.92 |
| TBN-32-72 | 2 X 4 1/2 | 1 | 30 | 169.37 |
| TBN-32-80 | 2 X 5 | 1 | 25 | 187.80 |
| TBN-32-88 | 2 X 5 1/2 | 1 | 16 | 206.00 |
| TBN-32-96 | 2 X 6 | 1 | 20 | 224.28 |
| TBN-40-48 | 2 1/2 X 3 | 1 | 25 | 257.15 |
| TBN-40-56 | 2 1/2 X 3 1/2 | 1 | 15 | 291.36 |
| TBN-40-64 | 2 1/2 X 4 | 1 | 20 | 323.88 |
| TBN-40-72 | 2 1/2 X 4 1/2 | 1 | 15 | 347.48 |
| TBN-40-80 | 2 1/2 X 5 | 1 | 12 | 382.25 |
| TBN-40-88 | 2 1/2 X 5 1/2 | 1 | 12 | 411.67 |
| TBN-40-96 | 2 1/2 X 6 | 1 | 12 | 450.73 |
| TBN-48-48 | 3 X 3 | 1 | 15 | 347.58 |
| TBN-48-56 | 3 X 3 1/2 | 1 | 15 | 393.20 |
| TBN-48-64 | 3 X 4 | 1 | 10 | 442.87 |
| TBN-48-80 | 3 X 5 | 1 | 10 | 535.65 |
| TBN-48-88 | 3 X 5 1/2 | 1 | 10 | 582.03 |
| TBN-48-96 | 3 X 6 | 1 | 8 | 632.67 |
| TBN-64-64 | 4 X 4 | 1 | 6 | 654.52 |
| TBN-64-88 | 4 X 5 1/2 | 1 | 5 | 832.65 |
| TBN-64-96 | 4 X 6 | 1 | 5 | 919.42 |
| TBN-02CLOSE | 1/8 | 25 | 600 | 9.08 |
| TBN-04CLOSE | 1/4 | 25 | 600 | 10.62 |
| TBN-06CLOSE | 3/8 | 25 | 450 | 11.01 |
| TBN-08CLOSE | 1/2 | 25 | 450 | 14.69 |
| TBN-12CLOSE | 3/4 | 25 | 300 | 21.16 |
| TBN-16CLOSE | 1 | 25 | 200 | 31.19 |
| TBN-20CLOSE | 1 1/4 | 15 | 90 | 47.07 |
| TBN-24CLOSE | 1 1/2 | 5 | 100 | 61.19 |
| TBN-32CLOSE | 2 | 5 | 50 | 93.17 |
| TBN-40CLOSE | 2 1/2 | 1 | 36 | 245.99 |
| TBN-48CLOSE | 3 | 1 | 25 | 334.49 |
| TBN-64CLOSE | 4 | 1 | 1 | 503.24 |

| | | | | |
|-------------|---|---|---|--------|
| TBN-64CLOSE | 4 | 1 | 1 | 503.24 |
|-------------|---|---|---|--------|



CELLO PRODUCTS INC.

NOMINAL TO O.D. EQUIVALENCE

| Plg. & Htg. Nominal Size | O.D. Size |
|-----------------------------|-----------|
| 1/8" | 1/4" |
| 1/4" | 3/8" |
| 3/8" | 1/2" |
| 1/2" | 5/8" |
| 5/8" | 3/4" |
| 3/4" | 7/8" |
| 1" | 1 1/8" |
| 1 1/4" | 1 3/8" |
| 1 3/8" | 1 1/2" |
| 1 1/2" | 1 5/8" |
| 1 5/8" | 1 3/4" |
| 1 3/4" | 1 7/8" |
| 2" | 2 1/8" |
| 2 1/4" | 2 3/8" |
| 2 3/8" | 2 1/2" |
| 2 1/2" | 2 5/8" |
| 2 5/8" | 2 3/4" |
| 2 3/4" | 2 7/8" |
| 3" | 3 1/8" |

Abbreviations

| | |
|--------|-----------------------|
| C | -Copper |
| M | -Male Thread |
| FE | -Female Thread |
| FTG | -Fitting End (Street) |
| L.T. | -Long radius or turn |
| MJ | -Mechanical Joint |
| DE | -Drop Ear |
| D.W.V. | -Drain-Waste-Vent |
| SJ | -Slip Joint |

Available from CELLO PRODUCTS

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrot*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call
1-800-265-7882 for Customer Services.*



CELLO PRODUCTS INC.

SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.