

# CELLO PRODUCTS INC.

"The New Choice"



ISO 9002

NSF 61\*

\* wrought copper products

## Import Solder Fittings

USA

Price List #6

Effective February 14, 2022

## PRICE LIST

CANADA

210 Avenue Road  
Cambridge, Ontario N1R 8H5

Telephone: (519) 621-9150  
Fax: (519) 621-4108  
Customer Service: 1-800-265-7882  
e-mail:  
custservice@celloproducts.com



U.S.A.

Frank Longenecker

Telephone: 1-800-265-7882 x 145

e-mail:  
flongenecker@celloproducts.com



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>ADAPTER - FEMALE</b>				<b>ADAPTER - MALE</b>			
<b>c x female</b>		<b>Wrot</b>	<b>IWP3-</b>	<b>c x male</b>		<b>Wrot</b>	<b>IWP4-</b>
IWP3-04	1/4	20 1,000	15.26	IWP4-2-20	1 1/4	5 100	111.21
IWP3-06	3/8	50 500	15.88	IWP4-2-24	1 1/2	10 50	134.81
IWP3-08	1/2	50 450	8.06	IWP4-2-32	2	5 50	217.82
IWP3-12	3/4	25 250	11.08	IWP4-2-08-12	1/2 X 3/4	10 250	52.50
IWP3-16	1	10 200	25.33	<b>ADAPTER - MALE</b>			
IWP3-20	1 1/4	10 100	36.70	<b>c x male</b>		<b>Wrot</b>	<b>IWP4-</b>
IWP3-24	1 1/2	10 100	57.42	IWP4-04	1/4	25 500	23.92
IWP3-32	2	5 50	78.02	IWP4-06	3/8	50 500	11.82
IWP3-40	2 1/2	1 25	258.96	IWP4-08	1/2	25 500	5.08
IWP3-48	3	1 10	369.07	IWP4-12	3/4	25 250	8.51
IWP3-08-04	1/2 X 1/4	50 500	12.50	IWP4-16	1	10 200	21.82
IWP3-08-06	1/2 X 3/8	50 500	12.50	IWP4-20	1 1/4	10 100	31.34
IWP3-08-12	1/2 X 3/4	25 200	17.29	IWP4-24	1 1/2	10 100	36.70
IWP3-12-08	3/4 X 1/2	5 250	17.29	IWP4-32	2	5 50	62.18
IWP3-12-16	3/4 X 1	10 200	37.07	IWP4-40	2 1/2	1 30	217.13
IWP3-16-08	1 X 1/2	10 100	46.38	IWP4-48	3	1 15	269.77
IWP3-16-12	1 X 3/4	5 250	37.07	IWP4-64	4	1 8	354.08
IWP3-16-20	1 X 1 1/4	10 100	66.29	IWP4-08-04	1/2 X 1/4	5 250	15.70
IWP3-20-12	1 1/4 X 3/4	10 100	88.87	IWP4-08-06	1/2 X 3/8	5 250	12.87
IWP3-20-16	1 1/4 X 1	10 100	77.60	IWP4-08-12	1/2 X 3/4	25 250	14.68
IWP3-20-24	1 1/4 X 1 1/2	10 100	78.42	IWP4-08-16	1/2 X 1	10 100	32.95
IWP3-24-20	1 1/2 X 1 1/4	10 100	85.34	IWP4-10-08	5/8 X 1/2	25 250	27.83
IWP3-24-32	1 1/2 X 2	5 50	145.77	IWP4-12-08	3/4 X 1/2	25 250	14.68
IWP3-32-24	2 X 1 1/2	5 25	126.93	IWP4-12-16	3/4 X 1	10 250	32.28
<b>ADAPTER - FTG FEMALE</b>				IWP4-12-20	3/4 X 1 1/4	10 50	54.80
<b>ftg x female</b>		<b>Wrot</b>	<b>IWP3-2-</b>	IWP4-16-08	1 X 1/2	10 100	40.31
IWP3-2-08	1/2	10 250	15.91	IWP4-16-12	1 X 3/4	10 100	32.28
IWP3-2-12	3/4	25 250	20.56	IWP4-16-20	1 X 1 1/4	10 100	47.13
IWP3-2-16	1	5 200	36.72	IWP4-16-24	1 X 1 1/2	10 50	90.15
IWP3-2-20	1 1/4	5 100	58.77	IWP4-20-12	1 1/4 X 3/4	10 100	55.11
IWP3-2-24	1 1/2	5 100	77.16	IWP4-20-16	1 1/4 X 1	10 100	47.75
IWP3-2-32	2	5 50	102.55	IWP4-20-24	1 1/4 X 1 1/2	10 100	74.97
<b>ADAPTER - FTG MALE</b>				IWP4-24-16	1 1/2 X 1	5 50	88.29
<b>ftg x male</b>		<b>Wrot</b>	<b>IWP4-2-</b>	IWP4-24-20	1 1/2 X 1 1/4	10 100	74.34
IWP4-2-08	1/2	10 250	21.84	IWP4-24-32	1 1/2 X 2	5 50	139.10
IWP4-2-12	3/4	5 250	28.51	IWP4-32-24	2 X 1 1/2	5 50	143.68
IWP4-2-16	1	5 200	36.01	IWP4-40-32	2 1/2 X 2	1 10	365.57
<b>BUSHING - FITTING REDUCERS</b>				<b>ftg x c</b>		<b>Wrot</b>	<b>IWP02-</b>
				IWP02-04-02	1/4 X 1/8	50 1,000	4.82



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>BUSHING - FITTING REDUCERS...Continued</b>				<b>CAP</b>			
<b>ftg x c</b>		<b>Wrot</b>	<b>IWP02-</b>	<b>Tube End Caps</b>		<b>Wrot</b>	<b>IWP17-</b>
IWP02-06-04	3/8 X 1/4	50 1,000	4.94	IWP17-04	1/4	100 2,000	2.06
IWP02-08-04	1/2 X 1/4	10 1,000	4.65	IWP17-06	3/8	50 1,000	3.27
IWP02-08-06	1/2 X 3/8	50 1,000	4.22	IWP17-08	1/2	50 2,500	1.77
IWP02-10-08	5/8 X 1/2	25 500	10.11	IWP17-10	5/8	25 500	3.77
IWP02-12-04	3/4 X 1/4	50 500	8.99	IWP17-12	3/4	25 1,000	3.28
IWP02-12-06	3/4 X 3/8	50 500	8.35	IWP17-16	1	10 500	7.73
IWP02-12-08	3/4 X 1/2	25 500	6.36	IWP17-20	1 1/4	10 250	10.23
IWP02-12-10	3/4 X 5/8	50 500	6.51	IWP17-24	1 1/2	10 200	14.97
IWP02-16-08	1 X 1/2	10 250	12.77	IWP17-32	2	5 100	27.61
IWP02-16-12	1 X 3/4	10 250	10.00	IWP17-40	2 1/2	1 50	80.41
IWP02-20-08	1 1/4 X 1/2	5 100	17.87	IWP17-48	3	1 25	103.60
IWP02-20-12	1 1/4 X 3/4	5 200	17.87	IWP17-64	4	1 16	189.09
IWP02-20-16	1 1/4 X 1	5 200	18.22	<b>COUPLING</b>			
IWP02-24-08	1 1/2 X 1/2	5 100	23.74	<b>without Stop</b>	<b>c x c</b>	<b>Wrot</b>	<b>IWP0-NSTOP-</b>
IWP02-24-12	1 1/2 X 3/4	5 100	23.74	IWP0-NSTOP-04	1/4	5 1,500	1.36
IWP02-24-16	1 1/2 X 1	5 100	23.28	IWP0-NSTOP-06	3/8	5 1,000	4.65
IWP02-24-20	1 1/2 X 1 1/4	5 100	23.28	IWP0-NSTOP-08	1/2	100 1,000	2.41
IWP02-32-08	2 X 1/2	5 50	50.04	IWP0-NSTOP-10	5/8	25 500	7.05
IWP02-32-12	2 X 3/4	5 50	47.11	IWP0-NSTOP-12	3/4	25 500	4.99
IWP02-32-16	2 X 1	5 50	47.11	IWP0-NSTOP-16	1	25 250	10.56
IWP02-32-20	2 X 1 1/4	5 50	43.86	IWP0-NSTOP-20	1 1/4	10 200	15.46
IWP02-32-24	2 X 1 1/2	5 50	43.86	IWP0-NSTOP-24	1 1/2	10 100	20.86
IWP02-40-16	2 1/2 X 1	5 50	94.65	IWP0-NSTOP-32	2	5 50	35.99
IWP02-40-20	2 1/2 X 1 1/4	5 50	85.46	IWP0-NSTOP-40	2 1/2	1 30	42.95
IWP02-40-24	2 1/2 X 1 1/2	5 50	84.42	IWP0-NSTOP-48	3	1 30	78.93
IWP02-40-32	2 1/2 X 2	5 50	81.16	IWP0-NSTOP-64	4	1 16	146.36
IWP02-48-16	3 X 1	1 25	303.50	IWP0-NSTOP-96	6	1 3	858.98
IWP02-48-20	3 X 1 1/4	1 25	105.38	<b>COUPLINGS</b>			
IWP02-48-24	3 X 1 1/2	1 25	107.21	<b>c x c</b>		<b>Wrot</b>	<b>IWP0-</b>
IWP02-48-32	3 X 2	5 25	95.79	IWP0-02	1/8	25 2,000	2.08
IWP02-48-40	3 X 2 1/2	1 25	98.02	IWP0-04	1/4	25 1,500	1.69
IWP02-64-32	4 X 2	1 10	218.35	IWP0-06	3/8	25 1,000	2.14
IWP02-64-40	4 X 2 1/2	1 10	207.40	IWP0-08	1/2	100 1,000	1.82
IWP02-64-48	4 X 3	1 10	199.41	IWP0-10	5/8	50 500	5.38
IWP02-96-48	6 X 3	1 6	1,724.41	IWP0-12	3/4	25 500	3.69
IWP02-96-64	6 X 4	1 3	1,724.41	IWP0-16	1	25 250	7.29
<b>BUSHING FLUSH</b>				IWP0-20	1 1/4	10 200	12.56
<b>ftg x c</b>		<b>Wrot</b>	<b>IWPFLC-</b>				
IWPFLC-24-20	1 1/2 X 1 1/4	25 200	22.99				



CELLO #	SIZE	BOX/MC	LIST
<b>COUPLINGS...Continued</b>			
<b>c x c</b>	<b>Wrot</b>	<b>IWP0-</b>	
IWP0-24	1 1/2	10 100	16.95
IWP0-32	2	5 50	28.32
IWP0-96	6	1 3	600.48
IWP0-99	8	1 1	1,946.65
IWP0-06-02	3/8 X 1/8	50 1,000	4.97
IWP0-06-04	3/8 X 1/4	50 500	3.60
IWP0-08-02	1/2 X 1/8	50 500	5.01
IWP0-08-04	1/2 X 1/4	10 1,000	4.53
IWP0-08-06	1/2 X 3/8	50 1,500	3.72
IWP0-10-06	5/8 X 3/8	50 300	11.27
IWP0-10-08	5/8 X 1/2	25 300	9.13
IWP0-12-04	3/4 X 1/4	50 500	7.90
IWP0-12-06	3/4 X 3/8	25 250	8.05
IWP0-12-08	3/4 X 1/2	25 500	6.49
IWP0-12-10	3/4 X 5/8	25 250	6.45
IWP0-16-06	1 X 3/8	10 100	14.64
IWP0-16-08	1 X 1/2	10 250	14.20
IWP0-16-10	1 X 5/8	25 250	13.36
IWP0-16-12	1 X 3/4	10 250	11.79
IWP0-20-08	1 1/4 X 1/2	5 100	17.35
IWP0-20-12	1 1/4 X 3/4	5 200	16.37
IWP0-20-16	1 1/4 X 1	5 200	16.37
IWP0-24-08	1 1/2 X 1/2	5 100	29.50
IWP0-24-12	1 1/2 X 3/4	5 100	27.97
IWP0-24-16	1 1/2 X 1	5 100	27.74
IWP0-24-20	1 1/2 X 1 1/4	5 100	27.13
IWP0-32-08	2 X 1/2	5 50	48.20
IWP0-32-12	2 X 3/4	5 50	46.37
IWP0-32-16	2 X 1	5 50	45.60
IWP0-32-20	2 X 1 1/4	5 50	42.15
IWP0-32-24	2 X 1 1/2	5 50	41.92
IWP0-40-24	2 1/2 X 1 1/2	1 50	88.14
IWP0-40-32	2 1/2 X 2	1 50	86.21
IWP0-48-20	3 X 1 1/4	1 25	347.94
IWP0-48-24	3 X 1 1/2	1 25	116.65
IWP0-48-32	3 X 2	1 25	104.47
IWP0-48-40	3 X 2 1/2	1 25	106.60
IWP0-64-32	4 X 2	1 10	231.53
IWP0-64-40	4 X 2 1/2	1 10	240.81
IWP0-64-48	4 X 3	1 10	211.68
IWP0-96-48	6 X 3	1 1	1,280.49
IWP0-96-64	6 X 4	1 6	1,280.49

CELLO #	SIZE	BOX/MC	LIST
IWP0-99-96	8 X 6	1 1	2,798.90
<b>COUPLINGS</b>			
<b>c x c</b>	<b>Wrot</b>	<b>IWP0-RING-</b>	
IWP0-RING-02	1/8	10 2,000	2.08
IWP0-RING-04	1/4	25 1,500	1.67
IWP0-RING-06	3/8	25 1,000	2.22
IWP0-RING-08	1/2	50 1,000	1.81
IWP0-RING-10	5/8	50 500	4.79
IWP0-RING-12	3/4	25 500	3.67
IWP0-RING-16	1	25 250	7.29
IWP0-RING-20	1 1/4	10 200	12.56
IWP0-RING-24	1 1/2	10 100	16.95
IWP0-RING-32	2	5 50	28.32
IWP0-RING-40	2 1/2	1 30	58.10
IWP0-RING-48	3	1 30	79.14
IWP0-RING-64	4	1 16	174.17
<b>ELBOW 45</b>			
<b>c x c</b>	<b>Wrot</b>	<b>IWP6-</b>	
IWP6-04	1/4	50 1,000	12.56
IWP6-06	3/8	50 1,000	10.73
IWP6-08	1/2	25 1,000	4.42
IWP6-10	5/8	25 500	18.87
IWP6-12	3/4	25 500	7.58
IWP6-16	1	10 250	19.01
IWP6-20	1 1/4	5 100	25.46
IWP6-24	1 1/2	10 100	31.34
IWP6-32	2	5 50	52.23
IWP6-40	2 1/2	1 25	101.55
IWP6-48	3	1 8	141.62
IWP6-64	4	1 4	292.01
IWP6-96	6	1 1	1,669.23
<b>ELBOW 45 - STREET</b>			
<b>ftg x c</b>	<b>Wrot</b>	<b>IWP6-2-</b>	
IWP6-2-04	1/4	50 1,000	18.79
IWP6-2-06	3/8	50 1,000	14.69
IWP6-2-08	1/2	25 1,000	5.26
IWP6-2-10	5/8	25 500	30.00
IWP6-2-12	3/4	25 500	7.62



CELLO #	SIZE	BOX/MC	LIST	CELLO #	SIZE	BOX/MC	LIST
<b>ELBOW 45 - STREET...Continued</b>							
<b>ftg x c</b>		<b>Wrot</b>	<b>IWP6-2-</b>				
IWP6-2-16	1	10 250	25.52	IWP7-96	6	1 1	1,671.52
IWP6-2-20	1 1/4	5 100	31.34	IWP7-99	8	1 1	6,186.41
IWP6-2-24	1 1/2	5 100	39.10	IWP7-06-04	3/8 X 1/4	50 1,000	11.96
IWP6-2-32	2	5 50	62.23	IWP7-12-08	3/4 X 1/2	10 500	14.04
IWP6-2-40	2 1/2	5 40	134.89	IWP7-16-08	1 X 1/2	25 250	28.60
IWP6-2-48	3	3 24	171.67	IWP7-16-12	1 X 3/4	10 250	25.97
IWP6-2-64	4	1 8	815.46	IWP7-20-16	1 1/4 X 1	10 100	64.75
<b>ELBOW 90 - STREET</b>				<b>ELBOW 90 LT - STREET</b>			
<b>ftg x c</b>		<b>Wrot</b>	<b>IWP7-2-</b>	<b>ftg x c</b>		<b>Wrot</b>	<b>IWP7LT-2-</b>
IWP7-2-04	1/4	10 1,000	30.88	IWP7LT-2-02	1/8	50 1,000	15.46
IWP7-2-06	3/8	50 1,000	8.59	IWP7LT-2-04	1/4	10 1,000	11.45
IWP7-2-08	1/2	50 1,000	3.70	IWP7LT-2-06	3/8	10 500	22.38
IWP7-2-10	5/8	25 250	14.79	IWP7LT-2-08	1/2	25 500	16.45
IWP7-2-12	3/4	25 500	7.81	IWP7LT-2-10	5/8	25 250	19.45
IWP7-2-16	1	10 250	21.43	IWP7LT-2-12	3/4	25 250	19.64
IWP7-2-20	1 1/4	5 100	29.65	IWP7LT-2-16	1	10 100	33.47
IWP7-2-24	1 1/2	5 50	39.63	IWP7LT-2-20	1 1/4	10 50	47.96
IWP7-2-32	2	5 25	86.21	IWP7LT-2-24	1 1/2	5 25	68.42
IWP7-2-40	2 1/2	1 25	134.51	IWP7LT-2-32	2	5 25	111.56
IWP7-2-48	3	3 24	188.39	IWP7LT-2-40	2 1/2	1 10	201.55
IWP7-2-64	4	1 8	418.37	<b>ELBOW 90 LT (Long radius)</b>			
<b>ELBOW 90 (short radius)</b>				<b>c x c</b>		<b>Wrot</b>	<b>IWP7LT-</b>
<b>c x c</b>		<b>Wrot</b>	<b>IWP7-</b>	IWP7LT-02	1/8	50 1,000	12.58
IWP7-02	1/8	50 1,000	6.70	IWP7LT-04	1/4	10 500	9.67
IWP7-04	1/4	50 1,000	7.05	IWP7LT-06	3/8	10 500	12.18
IWP7-06	3/8	50 1,000	6.85	IWP7LT-08	1/2	25 500	10.95
IWP7-08	1/2	50 1,000	2.41	IWP7LT-10	5/8	25 250	11.08
IWP7-10	5/8	25 250	14.32	IWP7LT-12	3/4	25 250	14.14
IWP7-12	3/4	25 500	5.35	IWP7LT-16	1	10 100	22.76
IWP7-16	1	10 250	13.33	IWP7LT-20	1 1/4	10 50	36.92
IWP7-20	1 1/4	10 100	19.82	IWP7LT-24	1 1/2	5 25	48.61
IWP7-24	1 1/2	10 50	30.90	IWP7LT-32	2	5 25	127.88
IWP7-32	2	5 25	56.29	IWP7LT-40	2 1/2	1 10	188.54
IWP7-40	2 1/2	1 10	102.74	IWP7LT-48	3	1 8	249.85
IWP7-48	3	1 8	145.71	<b>SUCTION LINE P Traps</b>			
IWP7-64	4	1 3	315.07	<b>c x c</b>		<b>Wrot</b>	<b>IWP37-</b>
IWP7-80	5	1 1	1,253.83	IWP37-08	1/2	10 50	71.05



**SUCTION LINE P Traps...Continued**

<b>c x c</b>		<b>Wrot</b>		<b>IWP37-</b>
IWP37-12	3/4	10	60	79.05

  

<b>TEE</b>				
<b>c x c x c</b>		<b>Wrot</b>		<b>IWPT-</b>
IWPT-02	1/8	25	1,000	13.56
IWPT-04	1/4	50	1,000	14.10
IWPT-06	3/8	50	1,000	11.33
IWPT-08	1/2	25	500	4.10
IWPT-10	5/8	25	250	25.91
IWPT-12	3/4	25	200	9.95
IWPT-16	1	10	100	29.97
IWPT-20	1 1/4	5	50	41.46
IWPT-24	1 1/2	5	50	62.57
IWPT-32	2	5	25	99.52
IWPT-40	2 1/2	1	5	183.17
IWPT-48	3	1	5	262.72
IWPT-56	3 1/2	1	8	763.33
IWPT-64	4	1	2	615.20
IWPT-96	6	1	1	2,694.45
IWPT-06-06-04	3/8 X 3/8 X 1/4	50	500	22.92
IWPT-08-08-04	1/2 X 1/2 X 1/4	50	500	20.84
IWPT-08-08-06	1/2 X 1/2 X 3/8	50	500	20.84
IWPT-08-08-12	1/2 X 1/2 X 3/4	10	250	19.17
IWPT-08-08-16	1/2 X 1/2 X 1	10	100	40.61
IWPT-12-08-08	3/4 X 1/2 X 1/2	25	250	11.68
IWPT-12-08-12	3/4 X 1/2 X 3/4	25	250	11.68
IWPT-12-12-04	3/4 X 3/4 X 1/4	25	250	13.50
IWPT-12-12-06	3/4 X 3/4 X 3/8	25	250	13.02
IWPT-12-12-08	3/4 X 3/4 X 1/2	25	250	9.50
IWPT-12-12-16	3/4 X 3/4 X 1	10	100	33.33
IWPT-16-08-08	1 X 1/2 X 1/2	10	100	36.51
IWPT-16-08-12	1 X 1/2 X 3/4	10	100	38.47
IWPT-16-08-16	1 X 1/2 X 1	10	100	36.55
IWPT-16-12-08	1 X 3/4 X 1/2	10	100	36.55
IWPT-16-12-12	1 X 3/4 X 3/4	5	100	36.49
IWPT-16-12-16	1 X 3/4 X 1	10	100	36.55
IWPT-16-16-08	1 X 1 X 1/2	10	100	30.65
IWPT-16-16-12	1 X 1 X 3/4	10	100	30.65
IWPT-16-16-20	1 X 1 X 1 1/4	5	50	68.59
IWPT-16-16-24	1 X 1 X 1 1/2	5	50	96.96
IWPT-20-08-08	1 1/4 X 1/2 X 1/2	10	50	108.83

IWPT-20-08-20	1 1/4 X 1/2 X 1 1/4	5	50	59.02
IWPT-20-12-08	1 1/4 X 3/4 X 1/2	5	50	64.21
IWPT-20-12-12	1 1/4 X 3/4 X 3/4	5	50	57.48
IWPT-20-12-16	1 1/4 X 3/4 X 1	5	50	61.92
IWPT-20-12-20	1 1/4 X 3/4 X 1 1/4	5	50	57.48
IWPT-20-16-08	1 1/4 X 1 X 1/2	5	50	59.02
IWPT-20-16-12	1 1/4 X 1 X 3/4	5	50	56.34
IWPT-20-16-16	1 1/4 X 1 X 1	5	50	57.48
IWPT-20-16-20	1 1/4 X 1 X 1 1/4	5	50	59.02
IWPT-20-20-08	1 1/4 X 1 1/4 X 1/2	10	50	44.73
IWPT-20-20-12	1 1/4 X 1 1/4 X 3/4	10	50	44.73
IWPT-20-20-16	1 1/4 X 1 1/4 X 1	5	50	44.73
IWPT-20-20-24	1 1/4 X 1 1/4 X 1 1/2	5	50	98.11
IWPT-24-08-24	1 1/2 X 1/2 X 1 1/2	5	50	97.71
IWPT-24-12-08	1 1/2 X 3/4 X 1/2	10	50	106.92
IWPT-24-12-12	1 1/2 X 3/4 X 3/4	5	50	101.16
IWPT-24-12-16	1 1/2 X 3/4 X 1	5	50	101.16
IWPT-24-12-20	1 1/2 X 3/4 X 1 1/4	5	50	105.01
IWPT-24-12-24	1 1/2 X 3/4 X 1 1/2	5	50	95.49
IWPT-24-16-08	1 1/2 X 1 X 1/2	5	50	101.16
IWPT-24-16-12	1 1/2 X 1 X 3/4	5	50	97.33
IWPT-24-16-16	1 1/2 X 1 X 1	5	50	95.42
IWPT-24-16-20	1 1/2 X 1 X 1 1/4	5	50	101.16
IWPT-24-16-24	1 1/2 X 1 X 1 1/2	5	50	97.33
IWPT-24-20-08	1 1/2 X 1 1/4 X 1/2	5	50	101.16
IWPT-24-20-12	1 1/2 X 1 1/4 X 3/4	5	50	97.33
IWPT-24-20-16	1 1/2 X 1 1/4 X 1	5	50	95.42
IWPT-24-20-20	1 1/2 X 1 1/4 X 1 1/4	5	50	97.33
IWPT-24-20-24	1 1/2 X 1 1/4 X 1 1/2	5	50	101.16
IWPT-24-24-08	1 1/2 X 1 1/2 X 1/2	5	50	47.52
IWPT-24-24-12	1 1/2 X 1 1/2 X 3/4	5	50	47.52
IWPT-24-24-16	1 1/2 X 1 1/2 X 1	5	50	47.52
IWPT-24-24-20	1 1/2 X 1 1/2 X 1 1/4	5	50	47.52
IWPT-24-24-32	1 1/2 X 1 1/2 X 2	5	25	185.46
IWPT-32-08-32	2 X 1/2 X 2	5	25	129.53
IWPT-32-12-32	2 X 3/4 X 2	5	25	129.53
IWPT-32-16-16	2 X 1 X 1	5	25	129.53
IWPT-32-16-24	2 X 1 X 1 1/2	5	25	129.53
IWPT-32-16-32	2 X 1 X 2	5	25	129.53
IWPT-32-20-12	2 X 1 1/4 X 3/4	5	25	139.10
IWPT-32-20-16	2 X 1 1/4 X 1	5	25	139.10
IWPT-32-20-20	2 X 1 1/4 X 1 1/4	5	25	140.63
IWPT-32-20-24	2 X 1 1/4 X 1 1/2	5	25	136.34
IWPT-32-20-32	2 X 1 1/4 X 2	5	25	134.57
IWPT-32-24-08	2 X 1 1/2 X 1/2	5	25	134.12
IWPT-32-24-12	2 X 1 1/2 X 3/4	5	25	83.53



<b>TEE...Continued</b>				
<b>C X C X C</b>		<b>Wrot</b>		<b>IWPT</b>
IWPT-32-24-08	2 X 1 1/2 X 1/2	5	25	134.12
IWPT-32-24-12	2 X 1 1/2 X 3/4	5	25	83.53
IWPT-32-24-16	2 X 1 1/2 X 1	5	25	129.53
IWPT-32-24-20	2 X 1 1/2 X 1 1/4	5	25	140.42
IWPT-32-24-24	2 X 1 1/2 X 1 1/2	5	25	126.69
IWPT-32-24-32	2 X 1 1/2 X 2	5	25	129.53
IWPT-32-32-08	2 X 2 X 1/2	5	40	75.19
IWPT-32-32-12	2 X 2 X 3/4	5	40	75.19
IWPT-32-32-16	2 X 2 X 1	5	40	77.50
IWPT-32-32-20	2 X 2 X 1 1/4	5	40	86.15
IWPT-32-32-24	2 X 2 X 1 1/2	5	25	77.50
IWPT-40-12-40	2 1/2 X 3/4 X 2 1/2	1	5	294.30
IWPT-40-16-40	2 1/2 X 1 X 2 1/2	1	5	305.02
IWPT-40-20-40	2 1/2 X 1 1/4 X 2 1/2	1	5	305.02
IWPT-40-24-40	2 1/2 X 1 1/2 X 2 1/2	1	5	288.18
IWPT-40-32-16	2 1/2 X 2 X 1	1	5	288.18
IWPT-40-32-20	2 1/2 X 2 X 1 1/4	1	5	288.18
IWPT-40-32-24	2 1/2 X 2 X 1 1/2	1	5	277.43
IWPT-40-32-32	2 1/2 X 2 X 2	1	5	268.24
IWPT-40-32-40	2 1/2 X 2 X 2 1/2	1	5	277.43
IWPT-40-40-08	2 1/2 X 2 1/2 X 1/2	1	20	213.45
IWPT-40-40-12	2 1/2 X 2 1/2 X 3/4	1	20	208.92
IWPT-40-40-16	2 1/2 X 2 1/2 X 1	1	20	213.45
IWPT-40-40-20	2 1/2 X 2 1/2 X 1 1/4	1	10	213.45
IWPT-40-40-24	2 1/2 X 2 1/2 X 1 1/2	1	10	213.45
IWPT-40-40-32	2 1/2 X 2 1/2 X 2	1	10	213.45
IWPT-48-32-32	3 X 2 X 2	1	5	360.20
IWPT-48-32-48	3 X 2 X 3	1	5	401.95
IWPT-48-40-32	3 X 2 1/2 X 2	1	5	388.27
IWPT-48-40-40	3 X 2 1/2 X 2 1/2	1	5	383.19
IWPT-48-48-08	3 X 3 X 1/2	1	10	223.84
IWPT-48-48-12	3 X 3 X 3/4	1	10	223.84
IWPT-48-48-16	3 X 3 X 1	1	10	223.84
IWPT-48-48-20	3 X 3 X 1 1/4	1	5	223.84
IWPT-48-48-24	3 X 3 X 1 1/2	1	5	223.84
IWPT-48-48-32	3 X 3 X 2	1	5	223.84
IWPT-48-48-40	3 X 3 X 2 1/2	1	5	242.18
IWPT-64-32-64	4 X 2 X 4	1	8	862.50
IWPT-64-48-40	4 X 3 X 2 1/2	1	5	864.49
IWPT-64-48-48	4 X 3 X 3	1	3	838.45
IWPT-64-48-64	4 X 3 X 4	1	8	866.88
IWPT-64-64-08	4 X 4 X 1/2	1	6	433.94
IWPT-64-64-12	4 X 4 X 3/4	1	8	445.05

IWPT-64-64-16	4 X 4 X 1	1	8	392.62
IWPT-64-64-20	4 X 4 X 1 1/4	1	6	411.18
IWPT-64-64-24	4 X 4 X 1 1/2	1	4	392.59
IWPT-64-64-32	4 X 4 X 2	1	4	415.25
IWPT-64-64-40	4 X 4 X 2 1/2	1	3	473.17
IWPT-64-64-48	4 X 4 X 3	1	3	437.09
IWPT-96-96-64	6 X 6 X 4	1	1	2,690.90

<b>TUBE STRAPS</b>				
<b>with nails</b>		<b>Wrot</b>		<b>IWP24</b>
IWP24-02	1/8	100	2,000	1.22
IWP24-04	1/4	100	2,000	1.31
IWP24-06	3/8	100	2,000	1.24
IWP24-08	1/2	100	1,000	1.38
IWP24-12	3/4	100	500	2.31
IWP24-16	1	100	1,000	2.40
IWP24-20	1 1/4	50	500	3.10
IWP24-24	1 1/2	50	500	3.40
IWP24-32	2	100	800	3.78

<b>UNION</b>				
<b>C X C</b>		<b>Wrot</b>		<b>IWP33</b>
IWP33-08	1/2	25	250	26.22
IWP33-12	3/4	25	200	36.56
IWP33-16	1	10	90	56.88
IWP33-20	1 1/4	5	45	130.03
IWP33-24	1 1/2	5	45	146.54
IWP33-32	2	1	18	245.93
IWP33-32	2	1	18	245.93



# CELLO PRODUCTS INC.

## NOMINAL TO O.D. EQUIVALENCE

Plg. & Htg. Nominal Size	O.D. Size
1/8"	1/4"
1/4"	3/8"
3/8"	1/2"
1/2"	5/8"
5/8"	3/4"
3/4"	7/8"
1"	1 1/8"
1 1/4"	1 3/8"
1 3/8"	1 1/2"
1 1/2"	1 5/8"
1 5/8"	1 3/4"
1 3/4"	1 7/8"
2"	2 1/8"
2 1/4"	2 3/8"
2 3/8"	2 1/2"
2 1/2"	2 5/8"
2 5/8"	2 3/4"
2 3/4"	2 7/8"
3"	3 1/8"

## Abbreviations

C	-Copper
M	-Male Thread
FE	-Female Thread
FTG	-Fitting End (Street)
L.T.	-Long radius or turn
MJ	-Mechanical Joint
DE	-Drop Ear
D.W.V.	-Drain-Waste-Vent
SJ	-Slip Joint

## *Available from CELLO PRODUCTS*

- ➔ *Brass Fittings*
- ➔ *Brass Nipples*
- ➔ *Brass Flanges*
- ➔ *Solder fittings - cast & wrot*
- ➔ *Solder Flanges*
- ➔ *PEX fittings (Brass)*
- ➔ *Silver braze fittings*
- ➔ *Drainage Plugs*
- ➔ *Dielectric Unions*
- ➔ *Sand Cloth*
- ➔ *Gas Valves*

*Ask your Sales Representative for pricing or call  
1-800-265-7882 for Customer Services.*





## CELLO PRODUCTS INC.

### SHIPPING TERMS

Freight prepaid on NET orders over \$2,000 US. All orders under \$2,000 will be shipped freight prepaid & charge unless specified otherwise. Minimum NET order \$75.

### BACKORDERS

Please note: Due to rising freight costs, we will cancel ALL backorders minimum NET \$50 and under. Customers will be notified by fax and may reorder.

### WARRANTY

All Cello products are guaranteed against defects resulting from faulty workmanship or materials which affect their usefulness and such products will be replaced free of charge. The company will not be responsible for labour charges or other expenses created by the replacement of the defective product or damage resulting from its use. Warranty obligations apply only when goods are used for the purpose and under the conditions for which they were intended. Cello fittings listed here are for use with soft solder piping systems. Cast fittings to be used in silver brazing systems require special silver brazing cups - please inquire when silver brazing is to be used. Every precaution has been taken in preparing this price list, however, Cello Products Inc. cannot be held responsible for omissions or typographical errors.